

ANNUAL REPORT ON RESULTS OF MAMMOTH COMMUNITY  
WATER DISTRICT GROUNDWATER MONITORING PROGRAM  
FOR OCTOBER 2003-SEPTEMBER 2004

Prepared for  
Mammoth Community Water District  
Mammoth Lakes, California

by  
Kenneth D. Schmidt and Associates  
Groundwater Quality Consultants  
Fresno, California

December 10, 2004

KENNETH D. SCHMIDT AND ASSOCIATES

GROUNDWATER QUALITY CONSULTANTS

600 WEST SHAW, SUITE 250

FRESNO, CALIFORNIA 93704

TELEPHONE (559) 224-4412

December 10, 2004

Mr. Gary Sisson, General Manager  
Mammoth Community Water District  
P.O. Box 597  
Mammoth Lakes, CA 93546

Re: Annual Report on Groundwater Monitoring

Dear Gary:

Submitted herewith is our annual report on the results of the District groundwater monitoring program for the period October 2003-September 2004. I appreciate the cooperation of District personnel in conducting this monitoring and providing data tabulations.

Sincerely yours,



Kenneth D. Schmidt

KDS/pe

cc: Steve Kronick




TABLE OF CONTENTS

	<u>Page</u>
LIST OF TABLES	iii
LIST OF ILLUSTRATIONS	iv
INTRODUCTION	1
SUMMARY AND CONCLUSIONS	2
WELL CONSTRUCTION DATA	3
SUBSURFACE GEOLOGIC SECTION A-A'	8
PRECIPITATION	9
DISTRICT PUMPAGE	9
WATER LEVELS	11
District Supply Wells	11
New Wells	11
Earlier Wells	19
Deep Monitor Wells	20
Shallow Monitor Wells	32
Water-Level Elevation Contours	39
CHEMICAL QUALITY AND TEMPERATURE OF GROUNDWATER	41
MAMMOTH CREEK STREAMFLOW	42
VALENTINE RESERVE SPRINGFLOW	43
DATA EVALUATION AND INTERPRETATION	45
REFERENCES	46
APPENDIX A PUMPAGE AND WATER-LEVEL DATA FOR DISTRICT SUPPLY WELLS	
APPENDIX B PUMPAGE AND WATER-LEVEL HYDROGRAPHS FOR EARLIER SUPPLY WELLS	
APPENDIX C WATER-LEVEL MEASUREMENTS FOR MONITOR WELLS	
APPENDIX D SUPPLEMENTARY WATER-LEVEL HYDROGRAPHS FOR MONITOR WELLS	

TABLE OF CONTENTS  
(Continued)

APPENDIX E CHEMICAL ANALYSES OF WATER FROM DISTRICT  
WELLS

APPENDIX F MAMMOTH CREEK STREAMFLOW

LIST OF TABLES

<u>No.</u>	<u>Title</u>	<u>Page</u>
1	Construction Data for District Supply Wells	6
2	Construction Data for District Monitor Wells	7
3	Pumpage from District Wells (Acre-Feet)	10

LIST OF ILLUSTRATIONS

<u>Figure No.</u>	<u>Title</u>	<u>Page</u>
1	Location of Wells and Subsurface Geologic Cross Section A-A'	4
2	Subsurface Geologic Cross Section A-A'	(pocket)
3	Water-Level and Pumpage Hydrograph for Well No. 15	12
4	Water-Level and Pumpage Hydrograph for Well No. 16	14
5	Water-Level and Pumpage Hydrograph for Well No. 17	15
6	Water-Level and Pumpage Hydrograph for Well No. 18	17
7	Water-Level and Pumpage Hydrograph for Well No. 20	18
8	Water-Level Hydrograph for Well No. 14M	22
9	Water-Level Hydrograph for Well No. 19	24
10	Water-Level Hydrograph for Well No. 21	26
11	Water-Level Hydrograph for Well No. 24	27
12	Water-Level Hydrograph for SC-1	30
13	Water-Level Hydrograph for SC-2	31
14	Water-Level Hydrograph for Well No. 22 and Pumpage for Well No. 15	33
15	Water-Level Hydrograph for Well No. 22 and Mammoth Creek Streamflow	34
16	Water-Level Hydrograph for Well No. 23 and Pumpage for Well No. 1	36

LIST OF ILLUSTRATIONS  
(Continued)

<u>Figure No.</u>	<u>Title</u>	<u>Page</u>
17	Water-Level Hydrograph for Well No. 23 and Mammoth Creek Streamflow	37
18	Water-Level Elevations in September 2004	40
19	Flow for Valentine Spring (1993-2001) and Mammoth Creek Streamflow (1993-2004)	44

ANNUAL REPORT ON RESULTS OF MAMMOTH COMMUNITY  
WATER DISTRICT GROUNDWATER MONITORING PROGRAM  
FOR OCTOBER 2003-SEPTEMBER 2004

INTRODUCTION

In Summer 1992, the Mammoth County Water District contracted for the drilling of five new test wells in Mammoth Lakes. One of these wells (No. 15) was converted to a supply well and pumping began on an emergency basis in Summer 1992. In December 1992, the California Department of Fish and Game filed an action against the District in Superior Court. Concerns were expressed by the Department about the potential impact of pumping of these wells on wildlife, vegetation, and fishery resources of Mammoth Creek and the Hot Creek headsprings, which is located downstream of the District wells. Kenneth D. Schmidt and Associates completed a hydrogeologic evaluation (July 6, 1993) on behalf of the District, to respond to these concerns. In August 1993, a settlement agreement was made between the Department and the District. As part of this agreement, the District was to:

1. Conduct routine monitoring in all District supply and monitor wells.
2. Install a new monitor well tapping consolidated rock at a location south of the District office.
3. Conduct monitoring in the new monitor well.
4. Prepare an annual interpretive report on the results of groundwater monitoring for the water year.

Data available to the District from Wells SC-1 and SC-2 (part



of the Long Valley hydrologic monitoring program) were to be included in this evaluation. This report comprises the eleventh annual report pursuant to the settlement agreement. The Mammoth County Water District is now the Mammoth Community Water District.

#### SUMMARY AND CONCLUSIONS

The District pumped 1,874 acre-feet of water from eight supply wells during the 2004 water year. This was thirty percent less than during the previous water year. A comprehensive water-level monitoring program was conducted for District supply wells and monitor wells. In addition, water-level measurements were available for two other monitor wells east of the District wells. Flow measurements were not available for the springs at the University of California Valentine Reserve for the 2004 water year.

Water levels in some shallow wells tapping the uppermost glacial till strata fell during 2003-04, whereas water levels in others stayed the same or rose. Groundwater is generally present in the uppermost strata only in the westerly part of the area, in the meadow and near Mammoth Creek. Water levels in most of the District supply wells were shallower in 2004 than in 2003, due to the reduction in pumpage. Water levels in the closest deep monitor wells tapping the consolidated rock east of the District well field did not change significantly during the 2004 water year. Water levels in deep wells farther to the east fell slightly during the 2004 water year, apparently due to the below average precipitation in recent years. The declines were greater in wells farther from

the district well field which indicates that District pumping did not cause these declines. This is because drawdowns decrease with increasing distance from a well or well field. A water-level elevation contour map was prepared for September 2004. This map and other information indicate that the extent of the cone of depression due to pumping of District wells was limited in size, and did not extend east of the easterly District monitor well (No. 24).

The results of water quality monitoring indicate no significant changes during the 2004 water year, compared to previously, except that some wells with previous increasing pH values had more normal values.

The results of the 2003-2004 monitoring indicate that District pumping did not influence Mammoth Creek streamflow. Flow data for the springs at the Valentine Reserve for the 2003-04 water year were not available at the time of this report. District pumping was not indicated to have influenced flows at the Valentine Reserve springs through the 2001 water year (the last year of available records). In addition, water-level declines due to pumping did not extend beyond the vicinity of the well field. Thus, there was no influence on the Hot Creek headsprings, which are much more distant from the District water supply wells than the monitor wells utilized for the District monitoring program.

#### WELL CONSTRUCTION DATA

Figure 1 shows locations of District wells, a private supply




FIGURE 1 - LOCATION OF WELLS AND SUBSURFACE GEOLOGIC CROSS-SECTION A-A'

well, a subsurface geologic cross section, two other monitor wells to the east (SC-1 and SC-2), and the spring area at the Valentine Reserve. Table 1 summarizes construction data for the District supply wells. All of these wells tap consolidated rock, primarily basalt and scoria layers, and some also tap interbedded glacial till and conglomerate. Well No. 1 has been in service since the 1970's and Wells No. 6 and 10 have been in service since 1988. These three wells are termed the "earlier" District supply wells in this report. Well No. 15 was first put in service in July 1992 on an emergency basis. Well No. 18 was put in service in September 1994. Wells No. 16 and 20 were put in service in March 1995; and Well No. 17 was put in service in June 1995. Wells put in service in the 1992-95 time period are termed the "newer" District supply wells in this report. Wells No. 2, 3, 4, 5, and 7 (shown in Figure 1) were not put in service by the District because of low well yields. Wells No. 2 and 3 were subsequently destroyed, whereas the other wells were converted to monitor wells. A small amount of water was pumped from Well No. 7 in Summer 2004 for use at the Boys Camp.

Test Well No. 25 was drilled in August 2002, and was not in service during the 2002, 2003, or 2004 water years. This well has thus been temporarily used as a monitor well. This well was drilled to a depth of 700 feet, at a site north of Well No. 1 and east of Well No. 16. Table 2 summarizes construction data for District monitor wells. Six of these wells (No. 5A, 14M, 19, 21, 24, and 25) are deep and primarily tap water in fractured volcanic rock.

TABLE 1 - CONSTRUCTION DATA FOR DISTRICT SUPPLY WELLS

Well No.	Date Drilled	Drilled Depth (feet)	Cased Depth (feet)	Perforated or Open Interval (feet)	Annular Seal (feet)
1	1976	382	370	200-370	0-90
6	11/87	670	670	146-670	0-52
10	10/87	700	700	136-700	0-52
15	8/92	720	407	407-720	0-135
16	8/92	710	715	420-470 500-680	0-60
17	7/92	710	513	400-710	0-60
18	8/92	710	480	90-150 240-470	0-60
20	9/92	710	420	420-710	0-60

Wells No. 16, 17, 18, and 20 were modified in June 1994 in preparation for being put into service. The test wells that were drilled in 1992 and subsequently converted to production wells are termed herein the "new District supply wells".

TABLE 2 - CONSTRUCTION DATA FOR DISTRICT MONITOR WELLS

Well No.	Date Drilled	Drilled Depth	Cased Depth	Perforated or Open	Annular Seal
		(feet)	(feet)	Interval (feet)	(feet)
4M	1984	89	89	69-89	0-50
5A	7/82(8/93)	357	357	112-357	0-112
5M	8/93	80	80	20-75	0-20
7	8/87	480	480	290-480	0-50
10M	6/88	27	27	7-27	0-5
11	7/88	600	600	170-360	0-50
11M	6/88	43	43	5-43	0-5
12M	9/88	27	27	7-27	0-5
14M	9/88	520	501	100-310	0-100
19	8/92	700	344	200-700	0-140
21	10/92(7/97)	640	145(157)	145-640(157-640)	(70-157)
22	9/92	85	85	55-85	0-25
23	9/92	65	65	30-65	0-25
24	8/93	450	430	300-450	0-20
25	8/02	700	530	340-530	0-60

Well No. 5 was modified in August 1993, so as to be sealed off opposite the glacial till and be perforated only opposite the volcanic rock, and re-designated Well No. 5A. An annular seal was placed in No. 21 in July 1997, and the values in parentheses are for the modified well.

Well No. 7 is a deep well located south of the basalt flow and taps water in a glacial moraine near Sherwin Creek. Well No. 11 is a deep well located south of the basalt flow and taps water in glacial till and granitic rocks. An annular seal was placed in Well No. 21 in July 1997, to preclude surface water and shallow groundwater from entering the well. Well No. 5M taps water in the shallow fractured volcanic rock, just beneath the glacial till. The remaining monitor wells are shallow and tap groundwater in the uppermost glacial till.

#### SUBSURFACE GEOLOGIC SECTION A-A'

Cross Section A-A' was developed during a previous evaluation, and was updated (Figure 2) by adding more recent water-level data. The locations of wells used for this section are shown in Figure 1. Cross Section A-A' shows that the uppermost till layer and volcanic rocks are continuous along the section. Groundwater has been found in the uppermost glacial till layer only in the vicinity of District Wells No. 1, 4, 6, 10, 11, 12, and 15. Most of these wells are either in the meadow or near Mammoth Creek. Water production in the District supply wells is from highly fractured rock, often scoria layers, and sometimes from interbedded glacial till. The intervening less fractured rock probably acts as local confining layers. At Well No. 24, water was not found in the upper part of the basalt or in either of the till layers. Water in this well is in a fractured scoria layer. A lost circulation zone present in this well may influence the water level. In September 2004, there

was a fairly uniform water-level slope (about 250 feet per mile) from Well No. 1 to No. 19 to No. 24. The part of the section east of Well No. 24 is oriented almost perpendicular to the direction of groundwater flow (shown later).

#### PRECIPITATION

Precipitation (inches of water) is routinely measured at the Lake Mary Store, and is an indication of the potential recharge to groundwater. The average annual precipitation from 1990-2004 was 24.2 inches. During water years 1991-94, the annual precipitation ranged from about 20 to 29 inches and averaged about 22.5 inches. During water years 1995-2000, annual precipitation ranged from about 30 to 46 inches and averaged about 39 inches. During water years 2001-04, the annual precipitation ranged from about 20 to 25 inches and averaged 22.0 inches. These trends in precipitation are useful when evaluating water-level changes in wells that have been measured as part of this program.

#### DISTRICT PUMPAGE

Pumpage records for District supply wells are provided in Appendix A. Table 3 shows monthly pumpage from District wells during the 2004 water year. The total pumpage was 1,874 acre-feet, or about 30 percent less than that for the previous water year. Of this, 433 acre-feet were from Well No. 6, 415 acre-feet were from Well No. 15, 373 acre-feet were from Well No. 10, 189 acre-feet were from Well No. 16, 163 acre-feet were from Well No. 20, and 158 acre-feet were from Well No. 17. The remaining District pumpage



TABLE 3 - PUMPAGE FROM DISTRICT WELLS (ACRE- FEET)

Well No.	Oct-03	Nov-03	Dec-03	Jan-04	Feb-04	Mar-04	Apr-04	May-04	Jun-04	Jul-04	Aug-04	Sep-04	Total
1	7,095	11,003	0,086	0,000	0,012	0,000	0,874	13,436	11,521	18,049	11,902	6,411	80,390
6	54,331	9,914	63,411	50,601	44,319	47,215	1,080	0,147	24,834	16,442	66,356	54,822	433,472
10	0,000	1,865	13,546	23,460	24,049	5,988	1,963	0,098	57,718	97,767	82,356	64,000	372,810
15	74,798	8,049	5,487	14,920	14,724	2,160	0,000	0,000	19,828	90,896	114,061	69,890	414,822
16	0,000	0,000	1,521	7,117	2,748	1,276	0,442	23,755	50,405	54,969	12,957	34,061	189,252
17	30,822	0,000	0,000	0,000	0,098	0,000	7,264	37,988	0,196	7,656	52,810	20,712	157,546
18	4,123	0,025	0,000	8,074	3,460	0,000	3,043	17,546	9,006	0,025	10,601	7,043	62,945
20	22,871	0,147	4,417	6,528	12,074	7,706	2,601	46,233	21,448	0,049	9,914	28,810	162,798
<b>Total ac-ft</b>	<b>194,040</b>	<b>31,003</b>	<b>88,479</b>	<b>110,699</b>	<b>101,485</b>	<b>64,344</b>	<b>17,267</b>	<b>139,202</b>	<b>194,957</b>	<b>285,853</b>	<b>360,957</b>	<b>285,748</b>	<b>1874,034</b>

(143 acre-feet) was from Wells No. 1 and 18. An estimated 89 acre-feet of water were pumped during the 2004 water year from the Snow Creek Golf Course Well (in the general vicinity of Well No. 14M). This well is owned by Dempsey Construction. From June through September, 2004, about 100,000 gallons were pumped from Well No. 7 for use at the Boys Camp.


#### WATER LEVELS

##### District Supply Wells

Water-level measurements (static and pumping) for District supply wells are provided in Appendix A. Water-level hydrographs for the earlier wells (No. 1, 6, and 10) are provided in Appendix B. The years discussed for hydrographs in the following sections are for calendar years, unless specified otherwise.

##### New Wells

Figure 3 is a water-level and pumpage hydrograph for Well No. 15, extending back to when it was initially put in service in July 1992. The static water level fell about 80 feet after several months of pumping, and normally ranged from about 260 to 280 feet during periods when the well was being significantly used through early 1995. During periods when the well was not used much for supply (i.e., May 1995-June 1998), the water level rose substantially. In June 1998, the depth to water in Well No. 15 was 156 feet, or the shallowest of record. In October 2003, depth to water in this well was 303 feet. The shallowest annual water level in this well fell from 156 feet in 1998 to 242 feet in 2004. The water level in this well in Summer 2004 was near that in 1992-93.




**FIGURE 3- WATER-LEVEL AND PUMPAGE HYDROGRAPH FOR WELL NO. 15**


Depth to water in Well No. 15 appears to be influenced primarily by the previous pumping history of the well and recharge.

Figure 4 is a water-level and pumpage hydrograph for Well No. 16. The water level in this well changed substantially after the casing was installed (July 1994) and after the pump was installed (February 1995). After the casing was installed and prior to the pump installation, an access tube was not in the well, and the measurements during that period were apparently affected by cascading water. The measurements for July 1994-early February 1995, and for April-May, 1998 appear not to be representative. During heavy pumping periods of Well No. 20, the static level in Well No. 16 has been about 12 feet lower than during periods of lower pumping of Well No. 20. There were seasonal declines of about 20 to 30 feet during pumping periods of this well in 2002. Overall, shallow static levels in Well No. 16 were relatively stable between 1992 and 2003, and fell in 2004. In Summer 2004, water levels in this well were the lowest of record. This was likely due to the below normal precipitation in recent years.

Figure 5 is a water-level and pumpage hydrograph for Well No. 17. Measurements in early 1995 indicated that the water level apparently rose about eight feet, probably due to recharge. The water level in Well No. 17 appears to be influenced by pumpage of Well No. 20. During operational periods of both of these wells, the static level in Well No. 17 has been about four feet lower than during periods of little pumpage. The water level in Well No. 17 gradually rose during November 1995-August 1999, except during some



**FIGURE 4- WATER-LEVEL AND PUMPAGE HYDROGRAPH FOR WELL NO. 16**




**FIGURE 5- WATER-LEVEL AND PUMPAGE HYDROGRAPH FOR WELL NO. 17**

pumping periods. The shallowest depth to water yet measured in this well was in January 2000. During 2000-2004, the water level in this well fell, due to heavier pumping of this well and less recharge compared to previously.


Figure 6 shows water levels and pumpage for Well No. 18. The overall trend for this well during non-operational periods was a slight water-level rise through 1997. The water level was relatively constant during 1998-early 2002. In early June 1998, the water level in Well No. 18 was 30 feet deep, the shallowest yet measured. The water-level decline of about ten feet in this well during July 1998 appears to have been due to pumping of Wells No. 10 and 15. The water level in this well was 108 feet in September 2002, the lowest for the period of record. During 2002-04, water levels in this well stayed relatively constant.

Figure 7 is a water-level and pumpage hydrograph for Well No. 20. From 1994-98, the overall trend was a rising water level. The shallowest levels in Well No. 20 to date were in late 1998 and early 1999. The water level in this well fell after early 2001. The water-level declines in this well during the summers of 1999-2002 were mainly due to pumping of the well itself. The water level in this well may also be affected by pumpage of Well No. 17. The water level in Well No. 20 recovered significantly in 2003, due to a lack of pumping prior to August. During 2002-04, water levels in this well stayed relatively constant.



**FIGURE 6- WATER-LEVEL AND PUMPAGE HYDROGRAPH FOR WELL NO. 18**





**FIGURE 7 - WATER-LEVEL AND PUMPAGE HYDROGRAPH FOR WELL NO. 20**

Earlier Wells

Water-level and pumpage hydrographs for Wells No. 1, 6, and 10 are provided in Appendix B. The static water level in Well No. 1 has ranged from about 160 to 200 feet during low pumping periods to an average of about 270 feet during heavy pumping periods (i.e., August 1994). Overall, the water level in this well rose between 1992 and 1997, slightly declined from 1997 to Spring 2002, fell during 2002-03, and then rose in mid-2004. In June 1998, depth to water in this well was 160 feet, or the shallowest measured since 1990. Depth to water in this well was 201 feet in June 2004. The static water level in Well No. 6 has ranged from less than 30 feet during low pumping periods (after September 1995) to more than 160 feet during heavy pumping periods (August-September, 1994). During May-September, 1996, in part of 1997, and during late 1999 through Fall 2001, the static level in this well was at or above the land surface. This well wasn't pumped during September 1997-September 2001. After pumping of the well resumed in October 2001, the water level fell to about 50 to 70 feet deep through May 2003. The water level then rose more than 40 feet by June 2004. Later in Summer 2004, the water level fell to a depth of about 117 feet, due to increased pumping from the well. The static water level in Well No. 10 has ranged from less than 30 feet deep during the low pumping periods (July 1995), to more than 160 feet during heavy pumping periods (Summer 1993). During the 1996-2000 water years, depth to water was usually less than 30 feet, except for short periods. In August 2001, the well began to be pumped more and the

water level was usually about 70 to 90 feet deep during the 2002 water year. During Summer 2004, the water level fell to a depth of about 98 feet, shallower than the previous year's low of 115 feet. Overall, depth to water was fairly constant during 2002-04.


#### Deep Monitor Wells

Water-level measurements for monitor wells are provided in Appendix C, and supplementary water-level hydrographs are provided in Appendix D. Transducers were installed in four of the deep monitor wells (No. 14M, No. 19, No. 21, and No. 24), and continuous water-level measurements commenced in December 1995. Well No. 5A is located between Well No. 1 and the Valentine Reserve North Spring (Figure 1). Measurements for Well No. 5A indicate that depth to water has ranged from near the land surface to about seven feet. From 1995-99, the annual shallowest level was near the land surface, and overall the water level rose. Seasonal water level declines in this well ranged from about three to four feet during 2000-2002. These declines are indicated to have been due to pumping of Well No. 18 and possibly Well No. 15. The shallowest annual water level in Well No. 5A fell about six feet between 1999 and 2004. Well No. 7 is located in the Sherwin Creek campground, about one and a third miles east of Well No. 6. Measurements for Well No. 7 indicate that depth to water has ranged from 241 to 292 feet. The water level in this well appears to be primarily influenced by recharge from Sherwin Creek. The influence of recharge during 1995 is apparent. The shallowest water level of record in

Well No. 7 was measured in September 1997. Drawdowns of about 10 to 20 feet during 2000-2003 were apparently due to the pumping of the well itself. The shallowest annual level in this well fell about twenty feet between 1998 and 2003. The lower water levels in 2003 are attributed partly to more pumpage from the well than previously. Water levels in this well could not be measured in 2004 because of a malfunctioning sounding tube.

Well No. 11 is located in the meadow area, about one quarter mile south of Well No. 10. The water-level measurements for Well No. 11 indicate that the deepest level (51 feet) was in May 1993, and the shallowest levels were near the land surface during most of the period after July 1995. The water level in this well is influenced by pumping of Wells No. 6 and 10, and surface flow, particularly in the Bodle Ditch, which passes through the meadow area. The water levels were deepest during drought conditions and heavy pumping of Wells No. 6 and 10. The shallowest water levels occurred during wet years and less pumping of Wells No. 6 and 10. As of 2004, the water level in this well was still near the land surface.


Well No. 14M is located about two-thirds mile east of Well No. 15. The manual water-level measurements for Well No. 14M (Figure 8) indicate that the depth to water normally ranged from about 350 to 360 feet prior to June 1995. The annual shallowest water level in this well rose between 1994 and 1998 and between 1999 and 2000. The rise was primarily associated with recharge and the reduction in pumping of Wells No. 6 and 10 at those times. In July 2002, depth to water in Well No. 14M was 235 feet, or the shallowest of



**FIGURE 8- WATER-LEVEL HYDROGRAPH FOR WELL NO. 14M**

record. The water level in this well fell about 114 feet between July 2000 and July 2003, primarily due to pumping of Wells No. 6 and 10. The water level in this well was relatively stable during 2003-04. The water level in this well shows the influence of recharge and pumping patterns of Wells No. 6 and 10, and the Snow Creek Golf Course well. Transducer measurements that are considered reliable are available for Well No. 14M for November 1, 1996-September 30, 2003, except for October 1997, June 1998, and March 2001. The transducer was re-calibrated in May 2003, and the 2001-03 measurements agree well with the manual measurements. Reliable transducer measurements are also available from December 14, 2003 through July 31, 2004.

Well No. 19 is located about four-fifths of a mile east of Well No. 1. Based on manual measurements (Figure 9), the water level in Well No. 19 has ranged from about 312 to 357 feet deep. The water level in this well generally rose from 1995-98. In October 1997, depth to water was 312 feet, or the shallowest yet measured. During 1999, the water level in Well No. 19 fell about 30 feet, to below the levels in 1994 and early 1995. However, there was no decline during 2000-2004. During this period, depth to water in this well was usually about 340 to 345 feet. Transducer readings that are considered fairly reliable are available for this well from November 1, 1996-September 10, 1997, from November 1, 1997-September 30, 1998, except for June 1998, and from May 4-September 30, 2003 (Appendix D). The transducer in Well No. 19 was re-calibrated in May 2003. Reliable transducer measurements



**FIGURE 9- WATER-LEVEL HYDROGRAPH FOR WELL NO. 19**

are also available from December 4, 2003 through the end of July 2004. The transducer in this well malfunctioned for the rest of the 2004 water year.

Well No. 21 is located about three fourths of a mile east of Well No. 20. Based on manual measurements, the water level in Well No. 21 (Figure 10) has ranged from about 231 to 370 feet in depth. The water level in this well rose significantly between early 1995 and late 1996. There was a water-level decline in this well from December 1996-February 1997, and the water level then rose through June 1997. Most of the rise is attributed to recharge, which may have been enhanced due to a lack of an annular seal in the well. An annular seal was placed in this well during July 1997. Since July 1997, the water level in this well has been relatively constant (about 230 to 235 feet deep). Transducer measurements that are considered reliable are available for Well No. 21 from November 1, 1996-May 31, 1997, November 1, 1997-September 30, 1998 (except for June 1998), and May 4, 1999-September 30, 2004 (Appendix D). The transducer in this well was re-calibrated in May 2003. The manual water-level measurements in this well have indicated no significant response due to pumping of District wells.

Well No. 24 is located about one mile east of Well No. 19. Figure 11 is a water-level hydrograph for Well No. 24, based on manual measurements. Measurements for this well began in Summer 1993, and depth to water has ranged from 352 to 394 feet. The water level rose after early 1995, to the shallowest depth yet measured in December 1998. Transducer measurements are not available






FIGURE 10- WATER-LEVEL HYDROGRAPH FOR WELL NO. 21




FIGURE 11- WATER-LEVEL HYDROGRAPH FOR WELL NO. 24

for this well between April 3, 1997 and April 30, 1998, due to equipment failure. The transducer was recalibrated on January 1, 2001. Transducer measurements for this well after this calibration were generally consistent with manual measurements through early October 2001. Transducer measurements between mid October 2001 and early May 2002 were found to not be reliable. The transducer was removed from the well and recalibrated on May 9, 2002. Reliable measurements are available for the rest of the 2002 water year through the end of the 2004 water year. The water level fell during 2002-03, and was relatively constant in 2004. The water level in this well responds primarily to recharge, and no influence of District pumping is apparent.

Water levels in Wells No. 19 and 21 were relatively constant during the 2001-2004 water years, whereas the water level in Well No. 24 rose during early 2001, fell from May-October, 2001, rose through early 2002, then fell consistently during the rest of 2002-03. The best explanation for the long-term water-level variations in Wells No. 19 and 21 is due to the amount of recharge, which is primarily related to climatic patterns. Water levels in these wells rose during and following periods of above average precipitation. In contrast, water levels in these wells temporarily fell or stayed about the same during periods of below normal precipitation (i.e. the 2001, 2002, and 2004 water years). Water levels in Wells No. 19 and 21 haven't been noticeably influenced by District pumping in recent years. The water level in Well No. 24 appears to be influenced by factors unrelated to District pumping.

The most likely factor is variations in recharge due to climatic conditions.

A water-level hydrograph for Well No. 25 is provided in Appendix D. Water-level measurements for the well commenced in late 2002. To date, the water level has responded primarily to pumpage of nearby District Well No. 1. Depth to water has ranged from 312 to 337 feet, and has been deepest during the Summer.

Figure 12 is a water-level hydrograph for SC-1, which taps groundwater in the upper part of the basalt east of the District wells. The water level in this well generally fell from June 1983 through early 1995. However, some water-level rise occurred during this period due to recharge. Significant recharge was evident during 1995, 1996, and 1998. The shallowest water levels measured in SC-1 were in June 1983 and late July 1995. In July 1998, depth to water in SC-1 was near that in August 1983. Overall, the water level in this well was relatively stable during 1996-2000. The shallowest annual water level then fell about seven feet between 2000 and 2002, rose slightly in 2003, and fell about five feet in 2004.

Figure 13 is a water-level hydrograph for SC-2, which taps groundwater in the deeper basalt near SC-1. Comparison of the hydrographs for SC-1 and SC-2 indicates that water levels in the two wells fluctuate similarly. However, the water-level rises are less in the deeper monitor well than in the shallower monitor well, as would be expected if the rises are mainly due to recharge, the source of which is from the land surface. The water level in SC-2




FIGURE 12 - WATER-LEVEL HYDROGRAPH FOR SC-1




FIGURE 13 - WATER-LEVEL HYDROGRAPH FOR SC-2

was about 156 feet deep in June 2004, or about the same as in June 1995. The water level in SC-2 generally rose during 1995-98, was relatively stable during 1999-2000, and fell about 27 feet after June 2000. Water-level variations in SC-1 and SC-2 are indicated to be due to climatic variations and not due to District well pumpage. This conclusion is primarily based on the water-level hydrographs for Wells No. 19, 21, and 24 and water-level elevation data (Figures 2 and 18).

#### Shallow Monitor Wells

A water-level hydrograph for Well No. 22 is provided in Figure 14. Pumpage of nearby Well No. 15 is also plotted on this figure. The water level in Well No. 22 is not related to pumpage of Well No. 15, which taps groundwater in the deeper consolidated rock. The water level in this well responds primarily due to recharge from Mammoth Creek streamflow (Figure 15). Well No. 22 was dry until June 17, 1993 and during 1994-early 1995. There has been water in the well continuously since June 1995. The shallowest water level in Well No. 22 was in August 1995. Depth to water in this well rose about 12 feet during May-July, 1995, due to recharge corresponding to high flows (exceeding 40 cfs) in Mammoth Creek. During 1996-2004, the water-level trends in Well No. 22 also followed the pattern of streamflow in Mammoth Creek. Since early 1997, the water level in Well No. 22 was the lowest during December 2001-May 2002, associated with low streamflow during that time. In June 2004, the water level in Well No. 22 was the shallowest since 1997.





FIGURE 14- WATER-LEVEL HYDROGRAPH FOR WELL NO. 22 AND PUMPAGE FOR WELL NO. 15






**FIGURE 15- WATER-LEVEL HYDROGRAPH FOR WELL NO. 22 AND MAMMOTH CREEK STREAMFLOW**


A water-level hydrograph based on manual measurements for Well No. 23 and pumpage for nearby Well No. 1 are shown in Figure 16. Depth to water in Well No. 23 has ranged from about 5 to 17 feet during the period of record. The shallowest water levels were in the spring and early summer of 1993, 1995, 1996, and 1997. Depth to water in this well is not influenced by pumpage of Well No. 1, which taps groundwater in the deeper consolidated rock. Well No. 23 is located relatively close to Mammoth Creek and is clearly influenced by recharge from streamflow (Figure 17), and possibly from other local sources of recharge. On August 1, 1996, a float-type continuous water-level recorder was installed in Well No. 23. Some problems were experienced with this recorder, but reliable measurements were obtained during most of 1997-2004. The water-level recorder charts for Well No. 23 are provided in Appendix D.

Water-level hydrographs for the remaining shallow monitor wells are provided in Appendix D. Well No. 4M is located in the meadow area east of District Wells No. 6 and 10. The water level in this well rose significantly between early 1995 and early 1998, due to significant surface water flow in the meadow. Depth to water fluctuations in this well have followed patterns of Bodle Ditch flows, rising during periods when flows are present in the ditch. In May 1998, the water levels in this well were the shallowest since 1988. The annual shallowest water level in this well fell about 20 feet between 1998 and 2004. In 2004, depth to water in this well was about the same as in 1989.

Well No. 5M taps the shallow volcanic rock, and no water was



**FIGURE 16- WATER-LEVEL HYDROGRAPH FOR WELL NO. 23  
AND PUMPAGE FOR WELL NO. 1**



**FIGURE 17- WATER-LEVEL HYDROGRAPH FOR WELL NO. 23  
AND MAMMOTH CREEK STREAMFLOW**

observed in the overlying glacial till at the time of drilling of this well. Depth to water in Well No. 5M has ranged from about 2.5 to 9.5 feet. The shallowest levels have been in the spring and early summer, and the deepest in the summer. The annual shallowest water level in this well fell about four feet between 1998 and 2004, due to decreased recharge.

Well No. 10M was dry from October 1992 through June 10, 1993. Some water appeared in this well during June 17-August 19, 1993, and during June 6-June 20, 1996. The well was otherwise dry from late 1992 through December 4, 1996. During 1998-mid 2001, there was water in Well No. 10M most of the time. This well is adjacent to District Well No. 10, and the water level in Well No. 10M is primarily influenced by pumping of this well and also by local recharge. Well No. 10M has been dry since July 2001, due to increased pumping from Well No. 10 during 2001-04.

Well No. 11M is located in the southwest part of the meadow area near the Bodle Ditch. Water levels in this well have seasonal fluctuations that correspond to flows in the ditch. The shallowest water levels have generally been in June-July. Water levels gradually declined during 1989-92, but rose significantly after 1992. The water level began to rise significantly in April 1996, and the shallowest level yet measured (about four feet deep) was in June 1996. The shallowest annual water level for Well No. 11M fell about nine feet between 1998 and 2001, due to decreased recharge. However, the shallowest annual water level in this well in 2002 was higher than in 2001, and near the level in 2000. The shallowest

annual water level in Well 11M was about two and a half feet higher in 2004 than in 2003. The shallowest annual water level in this well has been relatively constant since 2002.

Well No. 12M is located in the western part of the meadow area. The water level in this well has responded significantly to a number of recharge events. The water level in this well began to rise significantly in April 1996, and reached the shallowest level of record in June 1996. The shallowest annual water level in Well No. 12M fell about 9 feet between 1998 and 2004. In summary, the water levels in all of the shallow monitor wells generally rise during wet periods and fall during dry periods. This is due to varying amounts of recharge during these periods.

#### Water-Level Elevation Contours

Figure 18 shows water-level elevation contours for early September, 2004. The hydrologic boundary is shown north of Wells No. 1 and 5A and south of Wells No. 16, 17, and 20. This boundary is believed to be present only west of a line connecting Wells No. 14M and 21. A cone of depression was evident due to pumping of District Wells No. 6, 10, and 15. This cone of depression did not extend east of Well No. 19. The overall direction of groundwater flow in early September 2004 was similar to that shown in the previous annual reports. This map shows only the horizontal component of groundwater flow in the basalt and interbedded glacial till. Other evidence (i.e., water levels in SC-1 and SC-2) indicates that there is also significant downward flow of groundwater in most of the area.




FIGURE 18 - WATER-LEVEL ELEVATIONS IN SEPTEMBER 2004

## CHEMICAL QUALITY AND TEMPERATURE OF GROUNDWATER

The results of chemical analyses and temperatures of water for the supply wells during the 2004 water year are provided in Appendix E. Water samples were collected from the active supply wells in September 2004. The monitor wells were not sampled during the 2004 year. Transducers are installed in most of the deep monitor wells to continuously measure water levels. Because of these transducers, it was not feasible to collect water samples from these wells during 2004. The coldest water (55°F or less) has normally been from shallow monitor wells in the meadow area and in water from the supply wells tapping consolidated rock, south of the hydrologic boundary. In contrast, the warmest water (60°F or greater) has been from the wells tapping consolidated rock north of the hydrologic boundary, closer to the known area of relatively shallow geothermal water in Mammoth Lakes, and from Well No. 18 (south of this boundary). The lowest electrical conductivity values (less than 200 micromhos per centimeter at 25°C) have normally been for shallow monitor wells and Wells No. 1, 7, and 11. The highest values (greater than 430 micromhos) have been for wells tapping the consolidated rock in the western part of the area.

Records for water from Well No. 20 indicate slight increases for temperature and electrical conductivity during 1996-2002, but the temperatures decreased to near previous levels after 2002. Water from Wells No. 16, 17, 18, and 20 showed an overall decrease in pH prior to 2004, but values returned to near previous levels in 2004. These are the westernmost District supply wells. Low pH



groundwater is known to be present beneath parts of Mammoth Mountain.

#### MAMMOTH CREEK STREAMFLOW

Records of streamflow at the outlet from Twin Lakes and the Old Mammoth Road crossing during the 2003 water year are provided in Appendix F. The mean monthly flow at the Old Mammoth Road crossing ranged from 5.9 cfs in October 2003 to 38.3 cfs in June 2004. In 2004, the flow at the Old Mammoth Road crossing began to rise significantly in late May, and the highest flows were between May 28 and June 9.

Average daily flows are plotted in Appendix F for the two stations for each month during the 2004 water year. A comparison of these daily flows indicates that the streamflow at the Old Mammoth Road crossing normally equaled or exceeded that of the Twin Lakes outflow, except during October 2003, January and early February 2004, and the first half of July 2004. The downstream increase in flow is attributed to inflow from ungaged tributaries below the Twin Lakes outlet and possibly some groundwater flow. Such groundwater flow could enter Mammoth Creek locally from unconsolidated deposits. During October 2003, downstream flows usually ranged from about 1 to 2 cfs less than those upstream, similar to what occurred during the previous two months. In October 2003, District wells were pumping about 3.2 cfs. During the first half of July 2004, downstream flows usually ranged from about 1 to 1.5 cfs less than those upstream. In early July 2004, District wells were pumping about 4.7 cfs. However, careful exami-

nation of pumping patterns for these wells indicates that the District well pumping did not cause the difference in flow at the two stream gages on Mammoth Creek. For example, the apparent difference in streamflow remained relatively constant, even though the District well pumpage varied substantially during these periods. The most likely explanation for these differences in flow is inaccuracy in streamflow measurements. The method of measurement of flow out of Twin Lakes was altered on May 23, 2002, pursuant to a request from the State Water Resources Control Board. According to the MCWD, the revised method is not as accurate as the weir plate that was previously used.

#### VALENTINE RESERVE SPRINGFLOW

Commencing in 2001, flow measurements at the Valentine Reserve were extended to another spring, which has a considerably larger flow than the previously monitored spring. Longer records are available for the previously monitored spring. However, no springflow records have been provided since 2001. Figure 19 shows flow of the previously monitored spring (1993-2001) and Mammoth Creek streamflow at Old Mammoth Road (1993-2004). The springflow correlated well with Mammoth Creek streamflow during the period of record. The lowest springflows were in 1993, 1994, and 2001, following periods of low winter precipitation. Springflow often increased in the fall prior to winter precipitation. This was primarily due to lower air temperatures and decreased evapotranspiration of shallow groundwater. Monitoring results for the previous years indicate no noticeable impact of District pumping on spring




FIGURE 19 - FLOW FOR VALENTINE SPRING (1993-2001) AND MAMMOTH CREEK STREAMFLOW (1993-2003)

flow at the Valentine Reserve.

#### DATA EVALUATION AND INTERPRETATION

Water-level hydrographs for most of the monitor wells tapping the uppermost glacial till strata in and near the District well field indicate stable or rising water levels during the 2004 water year. Water-level hydrographs for most of the District supply wells indicated shallower water in 2004 than in 2003, primarily due to a reduction in pumpage of District wells compared to previously. Water-level hydrographs for deep monitor Wells No. 14M, 19, and 21 indicated no water level change from 2003 to 2004. These wells tap consolidated rocks in the area east of the District well field. The relative constancy is probably due to the near normal precipitation during the 2004 water year. Water-level hydrographs for Wells No. 24, SC-1 and SC-2, east of the District well field, indicated water-level declines during water year 2004. Recharge was indicated to be the primary factor influencing water-level trends, except in and near the District well field. Significant water-level declines due to pumping were observed in only two of the District supply wells.

The water-level elevation contour map for September 2004 confirms that the cone of depression due to pumping of District wells is localized, and does not extend east past Well No. 24. Because the water levels in the consolidated rock in the well field are well below the channel of Mammoth Creek, there is no apparent impact of District pumping on streamflow. There has been no impact

on flow of the springs at the Valentine Reserve (for periods when records are available), on streamflow in Mammoth Creek, or on the flow of the Hot Creek headsprings due to pumping of the District supply wells.

#### REFERENCES

Kenneth D. Schmidt and Associates, "Results of Summer 1993 Aquifer Test, Mammoth County Water District Well No. 15", November 9, 1993, 22 p.

Kenneth D. Schmidt and Associates, "Annual Report on Results of Mammoth County Water District Groundwater Monitoring Program for October 1992-September 1993", December 13, 1993, 30 p.

Kenneth D. Schmidt and Associates, "Annual Report on Results of Mammoth Community Water District Groundwater Monitoring Program for October 1993-September 1994", December 14, 1994, 34 p.

Kenneth D. Schmidt and Associates, "Annual Report on Results of Mammoth Community Water District Groundwater Monitoring Program for October 1994-September 1995", December 11, 1995, 41 p.

Kenneth D. Schmidt and Associates, "Annual Report on Results of Mammoth Community Water District Groundwater Monitoring Program for October 1995-September 1996", December 12, 1996, 43 p.

Kenneth D. Schmidt and Associates, "Annual Report on Results of Mammoth Community Water District Groundwater Monitoring Program for October 1996-September 1997", December 8, 1997, 45 p.

Kenneth D. Schmidt and Associates, "Annual Report on Results of Mammoth Community Water District Groundwater Monitoring Program for October 1997-September 1998", December 9, 1998, 43 p.

Kenneth D. Schmidt and Associates, "Annual Report on Results of Mammoth Community Water District Groundwater Monitoring Program for October 1998-September 1999", December 9, 1999, 45 p.

Kenneth D. Schmidt and Associates, "Annual Report on Results of Mammoth Community Water District Groundwater Monitoring Program for October 1999-September 2000", December 13, 2000, 47 p.

Kenneth D. Schmidt and Associates, "Annual Report on Results of Mammoth Community Water District Groundwater Monitoring Program for

October 2000-September 2001", December 11, 2001, 46 p.

Kenneth D. Schmidt and Associates, "Annual Report on Results of Mammoth Community Water District Groundwater Monitoring Program for October 2001-September 2002", December 12, 2002, 50 p.

Kenneth D. Schmidt and Associates, "Annual Report on Results of Mammoth Community Water District Groundwater Monitoring Program for October 2002-September 2003", December 11, 2003, 46 p.

APPENDIX A  
PUMPAGE AND WATER-LEVEL DATA  
FOR DISTRICT SUPPLY WELLS

MAMMOTH COMMUNITY WATER DISTRICT  
 PRODUCTION WELL NO. 1  
 (FLOW IN MILLION GALLONS)

DAY	2003			2004			MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
	OCT	NOV	DEC	JAN	FEB	JAN										
1	0.218	0.129	0.023	0.000	0.000	0.000	0.000	0.000	0.000	0.688	0.000	0.000	0.042			
2	0.098	0.130	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.366	0.366	0.000	0.064			
3	0.085	0.162	0.005	0.000	0.000	0.000	0.000	0.000	0.000	0.484	0.000	0.000	0.000			
4	0.149	0.178	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.670	0.286	0.010	0.000			
5	0.023	0.207	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.508	0.000	0.000	0.060			
6	0.151	0.232	0.000	0.000	0.000	0.000	0.000	0.009	0.000	0.532	0.062	0.000	0.048			
7	0.086	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.488	0.000	0.000	0.560			
8	0.129	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.424			
9	0.086	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.348			
10	0.253	0.000	0.000	0.000	0.004	0.000	0.000	0.000	0.000	0.020	0.084	0.000	0.004			
11	0.146	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000			
12	0.129	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.010	0.000	0.008			
13	0.246	0.000	0.000	0.000	0.000	0.000	0.000	0.173	0.000	0.000	0.000	0.000	0.152			
14	0.144	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000			
15	0.080	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000			
16	0.132	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.882	0.000	0.258			
17	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.006	0.024			
18	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000			
19	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000			
20	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.052	0.000	0.782	0.000	0.000			
21	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.049	0.351	0.000	0.212	0.000	0.000			
22	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.504	0.000	0.000			
23	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.331	0.000	0.902	0.000	0.000			
24	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.288	0.000	0.468	0.534	0.000			
25	0.000	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.214	0.000	0.208	0.318	0.000			
26	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.594	0.000	0.234	0.696	0.000			
27	0.000	0.617	0.000	0.000	0.000	0.000	0.000	0.054	0.708	0.000	0.540	0.526	0.000			
28	0.000	0.645	0.000	0.000	0.000	0.000	0.000	0.000	0.770	0.000	0.086	0.690	0.000			
29	0.000	0.700	0.000	0.000	0	0	0.000	0.000	0.186	0.000	0.000	0.000	0.000			
30	0.000	0.586	0.000	0.000	0.000	0.000	0.000	0.000	0.376	0.000	0.000	0.510	0.000			
31	0.158	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.510	0.000	0.000	0.590	0.000			
TOTAL	2.313	3.587	0.028	0.000	0.004	0.000	0.000	0.285	4.380	3.756	5.884	3.880	2.090	0.000	0.000	0.000
MEAN	0.075	0.120	0.001	0.000	0.000	0.000	0.000	0.010	0.141	0.125	0.190	0.125	0.070	#DIV/0!	#DIV/0!	0.000
MAX	0.253	0.700	0.023	0.000	0.004	0.000	0.000	0.173	0.770	0.688	0.902	0.686	0.560	0.000	0.000	0.000
MIN	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
AC-FT	7.095	11.003	0.086	0.000	0.012	0.000	0.000	0.874	13.436	11.521	18.049	11.902	6.411	0.000	0.000	0.000
TOTAL AC-FT OCT THRU SEP			80.390	TOTAL AC-FT JAN THRU DEC:		62.206										



MAMMOTH COMMUNITY WATER DISTRICT  
 PRODUCTION WELL NO. 6  
 (FLOW IN MILLION GALLONS)

DAY	2003		2004		MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
	OCT	NOV	DEC	JAN										
1	0.992	0.128	0.128	0.960	0.848	0.000	0.000	0.000	0.000	0.800	0.992			
2	0.224	0.160	0.320	0.912	0.768	0.000	0.000	0.000	0.000	0.720	0.896			
3	0.960	0.096	0.192	0.928	0.784	0.000	0.000	0.000	0.000	0.912	0.912			
4	0.880	0.096	0.816	0.896	0.800	0.000	0.000	0.000	0.000	0.800	1.024			
5	0.832	0.112	0.128	0.800	0.784	0.000	0.000	0.000	0.112	0.736	1.024			
6	0.944	0.160	0.032	0.784	0.800	0.000	0.000	0.000	0.080	0.800	0.688			
7	0.720	0.096	0.000	0.944	0.736	0.000	0.000	0.000	0.000	0.736	0.000			
8	0.976	0.096	0.208	0.768	0.704	0.000	0.000	0.000	0.064	0.752	0.256			
9	0.864	0.112	0.480	0.928	0.704	0.000	0.000	0.032	0.144	0.752	0.960			
10	0.832	0.160	0.608	0.864	0.720	0.000	0.000	0.832	0.112	0.576	0.896			
11	0.720	0.096	0.656	0.848	0.560	0.000	0.000	0.816	0.064	0.688	0.800			
12	0.544	0.112	0.784	0.208	0.464	0.000	0.000	0.720	0.128	0.432	0.960			
13	0.736	0.000	0.000	0.224	0.784	0.688	0.000	0.000	0.496	0.432	0.880			
14	0.720	0.000	0.000	0.224	0.944	0.816	0.000	0.048	0.000	0.432	0.880			
15	0.704	0.000	0.000	0.208	0.944	0.512	0.000	0.368	0.000	0.512	0.856			
16	0.512	0.000	0.000	0.048	0.896	0.144	0.000	0.304	0.640	0.544	0.880			
17	0.816	0.032	0.000	0.144	0.816	0.000	0.000	0.480	0.160	0.368	0.816			
18	0.672	0.048	0.000	0.160	0.640	0.752	0.000	0.720	0.336	0.480	0.848			
19	0.544	0.032	0.000	0.496	0.752	0.832	0.352	0.000	0.752	0.000	0.688			
20	0.640	0.064	0.000	0.688	0.848	0.816	0.000	0.784	0.000	0.480	0.688			
21	0.496	0.032	0.000	0.592	0.816	0.752	0.000	0.784	0.000	0.480	0.688			
22	0.224	0.080	0.000	0.688	0.800	0.544	0.000	0.000	0.000	0.512	0.368			
23	0.240	0.144	0.000	0.704	0.752	0.048	0.000	0.064	0.000	0.368	0.384			
24	0.240	0.144	0.000	0.860	0.768	0.000	0.000	0.128	0.000	0.368	0.512			
25	0.240	0.064	0.000	0.800	0.768	0.000	0.000	0.064	0.000	0.368	0.464			
26	0.368	0.016	0.000	0.592	0.752	0.000	0.000	0.080	0.000	0.464	0.432			
27	0.352	0.064	0.000	0.208	0.928	0.368	0.000	0.016	0.080	0.432	0.032			
28	0.192	0.304	0.000	0.000	0.864	0.480	0.000	0.000	0.880	0.000	0.000			
29	0.224	0.384	0.000	0.000	0.832	0.000	0.000	0.576	0.880	0.000	0.000			
30	0.106	0.528	0.000	0.000	0.832	0.000	0.000	0.080	0.752	0.000	0.000			
31	0.198	0.000	0.000	0.000	0.000	0.000	0.000	0.896	0.000	0.000	0.000			
TOTAL	17.712	3.232	20.672	16.496	14.448	15.392	0.352	8.096	5.360	21.632	17.872	0.000	0.000	0.000
MEAN	0.571	0.108	0.667	0.532	0.498	0.497	0.012	0.270	0.173	0.698	0.596	#DIV/0!	#DIV/0!	#DIV/0!
MAX	0.992	0.528	0.976	0.960	0.944	0.848	0.352	0.832	0.896	0.992	1.024	0.000	0.000	0.000
MIN	0.106	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.368	0.000	0.000	0.000	0.000
AC-FT	54.331	9.914	63.411	50.601	44.319	47.215	1.080	24.834	16.442	66.356	54.822	0.000	0.000	0.000
TOTAL AC-FT	OCT	THRU	SEP	433.472	TOTAL AC-FT	JAN	THRU	DEC	305.816					

MAMMOTH COMMUNITY WATER DISTRICT  
 PRODUCTION WELL NO. 10  
 (FLOW IN MILLION GALLONS)

DAY	2003			2004			MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
	OCT	NOV	DEC	JAN	FEB	MAR								
1	0.000	0.000	0.000	0.288	0.864	0.000	0.000	0.000	1.056	0.928	0.800			
2	0.000	0.000	0.000	0.256	0.448	0.000	0.000	0.032	1.024	0.928	0.800			
3	0.000	0.000	0.000	0.160	0.512	0.000	0.000	0.000	1.056	0.960	0.832			
4	0.000	0.000	0.000	0.128	0.608	0.000	0.000	0.000	1.088	0.832	0.800			
5	0.000	0.000	0.000	0.032	0.560	0.096	0.000	0.000	1.024	0.896	0.800			
6	0.000	0.000	0.000	0.064	0.560	0.224	0.000	0.000	1.056	0.896	0.800			
7	0.000	0.000	0.000	0.032	0.672	0.096	0.000	0.000	1.024	0.896	0.800			
8	0.000	0.000	0.000	0.032	0.672	0.160	0.000	0.000	1.056	0.864	0.800			
9	0.000	0.000	0.000	0.064	0.672	0.064	0.000	0.000	1.056	0.896	0.800			
10	0.000	0.000	0.000	0.128	0.448	0.048	0.000	0.096	1.056	0.896	0.800			
11	0.000	0.000	0.000	0.032	0.640	0.048	0.000	0.000	1.056	0.864	0.800			
12	0.000	0.000	0.000	0.544	0.096	0.064	0.000	0.000	1.024	0.896	0.800			
13	0.000	0.000	0.000	0.480	0.064	0.256	0.000	0.000	1.088	0.864	0.800			
14	0.000	0.000	0.000	0.576	0.096	0.224	0.000	0.032	1.088	0.864	0.800			
15	0.000	0.000	0.000	0.544	0.192	0.128	0.000	0.000	1.056	0.896	0.800			
16	0.000	0.000	0.000	0.288	0.064	0.032	0.000	0.000	1.024	0.832	0.800			
17	0.000	0.000	0.000	0.320	0.000	0.000	0.000	0.000	1.024	0.864	0.800			
18	0.000	0.000	0.000	0.352	0.000	0.128	0.000	0.000	1.024	0.864	0.800			
19	0.000	0.096	0.000	0.256	0.000	0.096	0.000	0.000	1.056	0.832	0.800			
20	0.000	0.000	0.000	0.000	0.096	0.096	0.448	0.000	1.024	0.896	0.800			
21	0.000	0.000	0.000	0.000	0.032	0.160	0.032	0.192	1.024	0.832	0.800			
22	0.000	0.000	0.000	0.064	0.064	0.160	0.000	0.000	1.024	0.864	0.800			
23	0.000	0.000	0.000	0.000	0.032	0.000	0.000	0.000	1.024	0.864	0.800			
24	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1.024	0.864	0.800			
25	0.000	0.000	0.000	0.000	0.096	0.000	0.000	0.000	1.024	0.832	0.800			
26	0.000	0.192	0.000	0.032	0.000	0.000	0.000	0.000	1.024	0.864	0.800			
27	0.000	0.256	0.000	0.256	0.032	0.000	0.000	0.000	1.024	0.800	0.800			
28	0.000	0.064	0.000	0.576	0.128	0.000	0.000	0.000	1.024	0.864	0.800			
29	0.000	0.000	0.000	0.544	0.064	0.000	0.000	0.000	1.024	0.800	0.800			
30	0.000	0.000	0.000	0.608	0.000	0.000	0.000	0.000	1.024	0.852	0.800			
31	0.000	0.000	0.000	0.992	0.000	0.000	0.000	0.000	1.024	0.800	0.800			
TOTAL	0.000	0.608	4.416	7.648	7.840	1.952	0.640	0.032	18.816	31.872	26.848	20.864	0.000	0.000
MEAN	0.000	0.020	0.142	0.247	0.270	0.063	0.021	0.001	0.627	1.028	0.866	0.695	#DIV/0!	#DIV/0!
MAX	0.000	0.256	0.480	0.992	0.864	0.256	0.448	0.032	1.088	0.960	0.832	0.000	0.000	0.000
MIN	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.832	0.800	0.320	0.000	0.000
AC-FT	0.000	1.865	13.546	23.460	24.049	5.988	1.963	0.098	57.718	97.767	82.356	64.000	0.000	0.000
TOTAL AC-FT OCT THRU SEP			372.810	TOTAL AC-FT JAN THRU DEC	357.399									

MAMMOTH COMMUNITY WATER DISTRICT  
 PRODUCTION WELL NO. 15  
 (FLOW IN MILLION GALLONS)

DAY	2003		2004												TOTAL AC-FT OCT THRU SEP	414,822	TOTAL AC-FT JAN THRU DEC	326,479	#DIV/0!	#DIV/0!	#DIV/0!
	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV							
1	0.896	0.128	0.000	0.000	0.192	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.640	0.960	1.216				
2	1.024	0.192	0.000	0.064	0.064	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.768	1.408	1.344				
3	0.960	0.064	0.064	0.320	0.320	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.768	1.344	1.216				
4	0.832	0.124	0.000	0.000	0.320	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.704	1.280	1.280				
5	0.768	0.132	0.000	0.064	0.252	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.078	1.342	1.280				
6	0.960	0.128	0.000	0.192	0.196	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1.344	1.284				
7	0.832	0.128	0.000	0.320	0.192	0.064	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1.344	1.210				
8	1.024	0.128	0.000	0.256	0.161	0.064	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1.280	1.088				
9	1.088	0.128	0.064	0.384	0.161	0.064	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1.344	1.280				
10	1.152	0.192	0.000	0.320	0.254	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1.280	1.216				
11	1.197	0.128	0.128	0.320	0.320	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.064	1.344	1.152				
12	1.043	0.256	0.064	0.000	0.320	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.960	1.344				
13	1.152	0.000	0.128	0.000	0.384	0.192	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1.024	1.088				
14	1.152	0.256	0.128	0.000	0.320	0.128	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	-0.018	1.024	1.216				
15	1.024	0.064	0.000	0.000	0.512	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.896	0.320				
16	1.024	0.128	0.064	0.000	0.320	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1.024	0.000				
17	0.832	0.064	0.064	0.000	0.192	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1.024	0.000				
18	0.960	0.000	0.000	0.000	0.128	0.064	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1.024	0.064				
19	0.896	0.064	0.000	0.192	0.064	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1.024	0.000				
20	0.704	0.064	0.000	0.256	0.000	0.064	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1.024	0.000				
21	0.576	0.064	0.000	0.256	0.064	0.064	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1.024	0.000				
22	0.512	0.064	0.128	0.192	0.000	0.064	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.704	1.024	0.000				
23	0.576	0.000	0.128	0.192	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.320	1.024	0.000				
24	0.512	0.062	0.064	0.384	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.364	1.024	0.064				
25	0.576	0.066	0.128	0.320	0.064	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.894	1.024	1.152				
26	0.384	0.000	0.128	0.192	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.960	1.024	1.280				
27	0.512	0.000	0.192	0.128	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.640	0.832	1.280				
28	0.384	0.000	0.192	0.128	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.512	1.088	0.510				
29	0.448	0.000	0.064	0.128	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1.088	0.960	0.514				
30	0.192	0.000	0.000	0.192	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.704	1.152	0.320				
31	0.192	0.064	0.064	0.320	0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1.088	1.216					
TOTAL	24,384	2,624	1,792	4,864	4,800	0.704	0.000	0.000	0.000	6,464	29,632	37,184	22,784	0.000	0.000	0.000	0.000				
MEAN	0.787	0.087	0.058	0.157	0.166	0.023	0.000	0.000	0.000	0.215	0.956	1.199	0.759	0.000	0.000	0.000	0.000				
MAX	1.197	0.256	0.192	0.384	0.512	0.192	0.000	0.000	0.000	1.088	1.408	1.408	1.344	0.000	0.000	0.000	0.000				
MIN	0.192	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	-0.018	0.640	0.896	0.000	0.000	0.000	0.000	0.000				
AC-FT	74,798	8,049	5,497	14,920	14,724	2,160	0.000	0.000	0.000	19,828	90,896	114,061	69,890	0.000	0.000	0.000	0.000				
TOTAL AC-FT OCT THRU SEP																					
TOTAL AC-FT JAN THRU DEC																					

MAMMOTH COMMUNITY WATER DISTRICT  
 PRODUCTION WELL NO. 16  
 (FLOW IN MILLION GALLONS)

DAY	2003		2004		FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
	OCT	NOV	DEC	JAN											
1	0.000	0.000	0.000	0.000	0.000	0.064	0.000	0.000	0.000	0.000	0.000	0.816			
2	0.000	0.000	0.000	0.000	0.000	0.080	0.000	0.000	0.000	0.000	0.000	0.848			
3	0.000	0.000	0.176	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.816			
4	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.208	0.000	0.000	0.000	0.656			
5	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.240	0.000	0.000	0.000	0.880			
6	0.000	0.000	0.000	0.000	0.000	0.000	0.176	0.000	0.000	0.000	0.000	0.832			
7	0.000	0.000	0.000	0.000	0.000	0.000	0.128	0.000	0.000	0.000	0.000	0.848			
8	0.000	0.000	0.000	0.000	0.000	0.000	0.288	0.000	0.000	0.000	0.000	0.880			
9	0.000	0.000	0.080	0.000	0.000	0.000	0.288	0.000	0.000	0.000	0.000	0.864			
10	0.000	0.000	0.160	0.000	0.000	0.000	0.240	0.000	0.000	0.000	0.016	0.752			
11	0.000	0.000	0.000	0.000	0.000	0.000	0.048	0.000	0.000	0.000	0.000	0.624			
12	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.624			
13	0.000	0.000	0.000	0.000	0.000	0.000	0.192	0.000	0.000	0.000	0.000	0.784			
14	0.000	0.000	0.000	0.000	0.000	0.000	0.240	0.000	0.000	0.000	0.000	0.320			
15	0.000	0.000	0.000	0.000	0.000	0.000	0.288	0.000	0.000	0.000	0.000	0.112			
16	0.000	0.000	0.000	0.624	0.000	0.000	0.288	0.000	0.000	0.000	0.000	0.368			
17	0.000	0.000	0.000	0.784	0.080	0.240	0.000	0.304	0.000	0.000	0.176	0.000			
18	0.000	0.000	0.000	0.704	0.064	0.016	0.000	0.176	0.000	0.000	0.016	0.080			
19	0.000	0.000	0.000	0.192	0.080	0.000	0.144	0.432	0.000	0.000	0.016	0.000			
20	0.000	0.000	0.000	0.000	0.080	0.000	0.000	0.448	0.000	0.000	0.000	0.000			
21	0.000	0.000	0.000	0.000	0.064	0.000	0.000	0.240	0.000	0.000	0.000	0.000			
22	0.000	0.000	0.000	0.000	0.080	0.000	0.000	0.304	0.000	0.000	0.000	0.000			
23	0.000	0.000	0.000	0.000	0.064	0.016	0.000	0.304	0.000	0.000	0.000	0.000			
24	0.000	0.000	0.064	0.000	0.000	0.000	0.000	0.304	0.720	0.000	0.000	0.000			
25	0.000	0.000	0.000	0.000	0.032	0.000	0.000	0.400	0.704	0.208	0.000	0.000			
26	0.000	0.000	0.000	0.000	0.048	0.000	0.000	0.720	0.688	0.752	0.000	0.000			
27	0.000	0.000	0.000	0.016	0.064	0.000	0.000	0.400	0.736	0.832	0.000	0.000			
28	0.000	0.000	0.000	0.000	0.080	0.000	0.000	0.000	0.704	0.272	0.000	0.000			
29	0.000	0.000	0.016	0.000	0.096	0.000	0.000	0.096	0.016	0.256	0.000	0.000			
30	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.368	0.000	0.816	0.000	0.000			
31	0.000	0.000	0.000	0.000	0.000	0.000	0.624	0.000	0.000	0.576	0.000	0.000			
TOTAL	0.000	0.000	0.496	2.320	0.896	0.416	0.144	7.744	16.432	17.920	4.224	11.104	0.000	0.000	0.000
MEAN	0.000	0.000	0.016	0.075	0.031	0.013	0.005	0.250	0.548	0.578	0.136	0.370	#DIV/0!	#DIV/0!	#DIV/0!
MAX	0.000	0.000	0.176	0.784	0.096	0.240	0.144	0.720	0.848	0.752	0.832	0.880	0.000	0.000	0.000
MIN	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.208	0.000	0.000	0.000	0.000	0.000	0.000
AC-FT	0.000	0.000	1.521	7.117	2.748	1.276	0.442	23.755	50.405	54.969	12.957	34.061	0.000	0.000	0.000
TOTAL AC-FT OCT THRU SEP	189,252														
TOTAL AC-FT JAN THRU DEC	187,730														

MAMMOTH COMMUNITY WATER DISTRICT  
 PRODUCTION WELL NO. 17  
 (FLOW IN MILLION GALLONS)

DAY	2003		2004				MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
	OCT	NOV	DEC	JAN	FEB	MAR								
1	0.000	0.000	0.000	0.000	0.000	0.000	1.088	0.064	0.000	0.832	0.416			
2	0.000	0.000	0.000	0.000	0.000	0.000	0.032	0.000	0.000	0.704	0.352			
3	0.000	0.000	0.000	0.000	0.000	0.000	0.864	0.000	0.000	0.768	0.384			
4	0.000	0.000	0.000	0.000	0.000	0.000	0.736	0.000	0.000	0.704	0.352			
5	0.000	0.000	0.000	0.000	0.000	0.000	0.032	0.000	0.000	0.768	0.384			
6	0.000	0.000	0.000	0.000	0.000	0.000	0.416	0.000	0.000	0.768	0.384			
7	0.000	0.000	0.000	0.000	0.000	0.000	0.864	0.000	0.000	0.704	0.352			
8	0.000	0.000	0.000	0.000	0.000	0.000	0.064	0.000	0.000	0.800	0.400			
9	0.000	0.000	0.000	0.000	0.000	0.000	0.160	0.000	0.000	0.768	0.384			
10	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.736	0.368			
11	0.000	0.000	0.000	0.000	0.000	0.000	0.992	0.000	0.000	0.832	0.416			
12	0.000	0.000	0.000	0.000	0.000	0.000	0.832	0.000	0.000	0.128	0.064			
13	0.000	0.000	0.000	0.000	0.000	0.000	0.416	0.000	0.000	0.384	0.192			
14	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.224	0.112			
15	0.000	0.000	0.000	0.000	0.000	0.000	0.512	0.000	0.000	0.256	0.128			
16	0.000	0.000	0.000	0.000	0.000	0.000	0.192	0.000	0.000	0.416	0.208			
17	0.000	0.000	0.000	0.000	0.000	0.000	0.192	0.000	0.000	0.448	0.224			
18	0.000	0.000	0.000	0.000	0.000	0.000	0.736	0.000	0.000	0.000	0.000			
19	0.000	0.000	0.000	0.000	0.000	0.000	0.608	0.000	0.000	0.032	0.016			
20	0.000	0.000	0.000	0.000	0.000	0.000	0.576	0.000	0.000	0.672	0.336			
21	0.000	0.000	0.000	0.000	0.000	0.000	0.384	0.000	0.000	0.448	0.224			
22	0.000	0.000	0.000	0.000	0.032	0.000	0.736	0.000	0.000	0.352	0.176			
23	0.000	0.000	0.000	0.000	0.000	0.000	0.256	0.000	0.000	0.448	0.224			
24	0.000	0.000	0.000	0.000	0.000	0.000	0.160	0.000	0.000	0.608	0.304			
25	0.000	0.000	0.000	0.000	0.000	0.000	0.384	0.000	0.000	0.608	0.304			
26	0.000	0.000	0.000	0.000	0.000	0.000	0.128	0.000	0.000	0.608	0.304			
27	0.000	0.000	0.000	0.000	0.000	0.000	0.384	0.000	0.000	0.448	0.224			
28	0.000	0.000	0.000	0.000	0.000	0.000	0.288	0.000	0.000	0.640	0.320			
29	0.000	0.000	0.000	0.000	0.000	0.000	0.640	0.000	0.000	0.544	0.272			
30	0.000	0.000	0.000	0.000	0.000	0.000	0.544	0.000	0.000	0.704	0.352			
31	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.608	0.304			
TOTAL	10.048	0.000	0.000	0.000	0.032	0.000	2.368	0.064	0.000	17.216	6.752	0.000	0.000	
MEAN	0.324	0.000	0.000	0.000	0.001	0.000	0.079	0.002	0.000	0.555	0.225	#DIV/0!	#DIV/0!	
MAX	0.512	0.000	0.000	0.000	0.032	0.000	0.640	0.064	0.000	0.832	0.640	0.000	0.000	
MIN	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
AC-FT	30.822	0.000	0.000	0.000	0.098	0.000	7.264	37.988	0.196	7.656	52.810	0.000	0.000	
TOTAL AC-FT OCT THRU SEP			157.546	TOTAL AC-FT JAN THRU DEC		126.724								

MAMMOTH COMMUNITY WATER DISTRICT  
 PRODUCTION WELL NO. 18  
 (FLOW IN MILLION GALLONS)

DAY	2003		2004												
	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	0.048	0.000	0.000	0.000	0.192	0.000	0.000	0.000	0.000	0.008	0.000	0.000	0.144		
2	0.192	0.000	0.000	0.000	0.024	0.000	0.000	0.000	0.000	0.304	0.000	0.128	0.200		
3	0.024	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.328	0.000	0.184	0.088		
4	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.144	0.000	0.104	0.224		
5	0.016	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.408	0.000	0.136	0.168		
6	0.072	0.000	0.000	0.000	0.192	0.000	0.000	0.000	0.000	0.408	0.000	0.168	0.264		
7	0.072	0.000	0.000	0.000	0.440	0.000	0.000	0.000	0.000	0.248	0.000	0.144	0.184		
8	0.144	0.000	0.000	0.000	0.124	0.000	0.000	0.000	0.000	0.328	0.000	0.208	0.192		
9	0.112	0.000	0.000	0.000	0.124	0.000	0.000	0.000	0.000	0.328	0.000	0.112	0.080		
10	0.096	0.000	0.000	0.000	0.032	0.000	0.000	0.000	0.000	0.160	0.000	0.104	0.040		
11	0.136	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.248	0.000	0.056	0.088		
12	0.080	0.000	0.000	0.000	0.304	0.000	0.000	0.000	0.000	0.416	0.000	0.064	0.168		
13	0.080	0.000	0.000	0.000	0.472	0.000	0.000	0.000	0.000	0.000	0.000	0.032	0.096		
14	0.072	0.000	0.000	0.000	0.464	0.000	0.000	0.000	0.000	0.400	0.000	0.096	0.000		
15	0.088	0.000	0.000	0.000	0.208	0.000	0.000	0.000	0.000	0.384	0.000	0.096	0.000		
16	0.024	0.000	0.000	0.000	0.160	0.000	0.000	0.000	0.000	0.360	0.000	0.072	0.000		
17	0.024	0.000	0.000	0.000	0.112	0.000	0.000	0.000	0.000	0.360	0.000	0.024	0.080		
18	0.032	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.352	0.000	0.000	0.032		
19	0.032	0.000	0.000	0.000	0.016	0.000	0.000	0.000	0.000	0.344	0.000	0.096	0.032		
20	0.000	0.008	0.000	0.000	0.000	0.000	0.000	0.008	0.008	0.344	0.000	0.192	0.000		
21	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.088	0.000	0.000	0.200	0.000		
22	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.144	0.000		
23	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.248	0.016		
24	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.136	0.000		
25	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.048	0.000		
26	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.280	0.000	0.000	0.064	0.000		
27	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.456	0.344	0.000	0.008	0.136	0.024		
28	0.000	0.000	0.000	0.216	0.000	0.000	0.160	0.104	0.104	0.000	0.000	0.152	0.000		
29	0.000	0.000	0.000	0.160	0	0.000	0.288	0.000	0.000	0.000	0.000	0.200	0.000		
30	0.000	0.000	0.000	0.224	0.000	0.000	0.080	0.080	0.000	0.024	0.000	0.080	0.000		
31	0.000	0.000	0.000	0.208	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.048	0.000		
TOTAL	1.344	0.008	0.000	2.632	1.128	0.000	0.992	5.720	2.936	0.008	3.456	2.296	0.000	0.000	0.000
MEAN	0.043	0.000	0.000	0.085	0.039	0.000	0.033	0.185	0.098	0.000	0.111	0.077	#DIV/0!	0.000	0.000
MAX	0.192	0.008	0.000	0.472	0.440	0.000	0.456	0.416	0.328	0.008	0.248	0.264	0.000	0.000	0.000
MIN	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
AC-FT	4.123	0.025	0.000	8.074	3.460	0.000	3.043	17.546	9.006	0.025	10.601	7.043	0.000	0.000	0.000
TOTAL AC-FT OCT THRU SEP			62.945	TOTAL AC-FT JAN THRU DEC			58.798							0	0

MAMMOTH COMMUNITY WATER DISTRICT  
 PRODUCTION WELL NO. 20  
 (FLOW IN MILLION GALLONS)

DAY	2003		2004		FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
	OCT	NOV	DEC	JAN												
1	0.352	0.000	0.000	0.496	0.000	0.320	0.000	0.000	0.880	0.000	0.000	0.848				
2	0.528	0.000	0.032	0.416	0.000	0.272	0.000	0.000	0.544	0.000	0.000	0.848				
3	0.384	0.000	0.000	0.384	0.000	0.080	0.000	0.000	0.704	0.000	0.016	0.528				
4	0.528	0.000	0.000	0.352	0.000	0.000	0.000	0.000	0.624	0.000	0.000	0.384				
5	0.432	0.000	0.000	0.192	0.000	0.000	0.000	0.888	0.592	0.000	0.000	0.720				
6	0.528	0.000	0.000	0.176	0.000	0.000	0.000	0.480	0.592	0.000	0.000	0.640				
7	0.400	0.000	0.096	0.000	0.000	0.000	0.512	0.496	0.000	0.000	0.000	0.916				
8	0.896	0.000	0.000	0.000	0.000	0.000	0.752	0.720	0.000	0.000	0.000	0.844				
9	0.224	0.000	0.000	0.000	0.000	0.000	0.000	0.688	0.496	0.000	0.000	0.832				
10	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.576	0.496	0.000	0.000	0.592				
11	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.064	0.720	0.000	0.000	0.528				
12	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.128	0.000	0.000	0.432				
13	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.624	0.000	0.000	0.000	0.656				
14	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.544	0.000	0.000	0.000	0.288				
15	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.656	0.000	0.000	0.000	0.048				
16	0.000	0.000	0.016	0.000	0.000	0.720	0.000	0.608	0.000	0.000	0.000	0.224				
17	0.336	0.000	0.000	0.000	0.000	0.960	0.000	0.608	0.000	0.000	0.496	0.000				
18	0.256	0.000	0.000	0.000	0.000	0.144	0.000	0.000	0.000	0.000	0.688	0.064				
19	0.240	0.000	0.000	0.096	0.000	0.000	0.832	1.248	0.000	0.000	0.000	0.000				
20	0.296	0.000	0.000	0.000	0.000	0.000	0.000	0.596	0.000	0.000	0.000	0.000				
21	0.192	0.000	0.000	0.016	0.000	0.000	0.016	0.432	0.000	0.000	0.000	0.000				
22	0.272	0.000	0.000	0.000	0.000	0.000	0.000	0.704	0.000	0.016	0.000	0.000				
23	0.320	0.000	0.000	0.000	0.000	0.016	0.000	0.576	0.000	0.000	0.000	0.000				
24	0.192	0.000	0.016	0.000	0.000	0.000	0.000	0.528	0.000	0.000	0.000	0.000				
25	0.240	0.048	0.000	0.000	0.000	0.000	0.000	0.656	0.000	0.000	0.000	0.000				
26	0.208	0.000	0.000	0.000	0.000	0.000	0.000	0.880	0.000	0.000	0.144	0.000				
27	0.304	0.000	0.000	0.000	0.000	0.000	0.000	0.848	0.000	0.000	0.144	0.000				
28	0.192	0.000	0.000	0.000	0.000	0.000	0.000	0.128	0.000	0.000	0.608	0.000				
29	0.160	0.000	0.400	0.000	0.000	0.000	0.000	0.256	0.000	0.000	0.128	0.000				
30	0.016	0.000	0.416	0.000	0.000	0.000	0.000	0.256	0.000	0.000	0.096	0.000				
31	0.000		0.464	0.000	0.000	0.000	0.000	0.432	0.000	0.000	0.352	0.000				
TOTAL	7.456	0.048	1.440	2.128	3.936	2.512	0.848	15.072	6.992	0.016	3.232	9.392	0.000	0.000	0.000	
MEAN	0.241	0.002	0.046	0.069	0.136	0.081	0.028	0.486	0.233	0.001	0.104	0.313	#DIV/0!	#DIV/0!	#DIV/0!	
MAX	0.896	0.048	0.464	0.496	0.400	0.960	0.832	1.248	0.880	0.016	0.688	0.916	0.000	0.000	0.000	
MIN	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
AC-FT	22.871	0.147	4.417	6.528	12.074	7.706	2.601	46.233	21.448	0.049	9.914	28.810	0.000	0.000	0.000	
TOTAL AC-FT OCT THRU SEP	162,798														TOTAL AC-FT JAN THRU DEC	135,362

**MAMMOTH COMMUNITY WATER DISTRICT  
 PRODUCTION WELL WATER LEVEL DATA  
 OCTOBER 2003 - SEPTEMBER 2004**

<b>WELL NO. 1</b>				<b>WELL NO. 6</b>			
Date	Static	Date	Pumping	Date	Static	Date	Pumping
10/15/03	-256.70	10/03/03	-266.50	10/22/03	-96.70	10/03/03	-196.30
10/22/03	-232.50	10/08/03	-256.45	11/18/03	-70.20	10/08/03	-184.20
11/18/03	-257.20			01/14/04	-86.50	10/15/03	-184.50
12/17/03	-256.70			03/17/04	-90.45	12/17/03	-168.10
01/14/04	-256.20			04/16/04	-63.45	08/04/04	-164.60
03/17/04	-256.80			06/04/04	-48.51	09/01/04	-170.05
04/15/04	-257.35			06/10/04	-48.38	09/22/04	-167.34
06/04/04	-147.67			06/16/04	-66.90		
06/16/04	-206.00			06/23/04	-72.50		
06/23/04	-203.00			06/30/04	-75.75		
06/30/04	-201.25			07/08/04	-58.30		
07/08/04	-202.95			07/14/04	-61.90		
07/14/04	-203.60			07/21/04	-61.45		
07/21/04	-234.70			08/11/04	-90.60		
07/28/04	-232.60			08/18/04	-84.60		
08/04/04	-210.10			08/25/04	-94.30		
08/11/04	-209.20			09/16/04	-117.50		
08/18/04	-209.10			09/29/04	-89.49		
08/25/04	-228.21						
09/01/04	-237.80						
09/16/04	-233.30						
09/22/04	-218.15						
<b>Mean</b>	-225.05		-261.48	<b>Mean</b>	-76.53		-176.44
<b>Max</b>	-257.35		-266.50	<b>Max</b>	-117.50		-196.30
<b>Min</b>	-147.67		-256.45	<b>Min</b>	-48.38		-164.60
<b>Historical</b>				<b>Historical</b>			
<b>Mean</b>	-197.26		-251.64	<b>Mean</b>	-48.04		-154.31
<b>Max</b>	-268.10		-295.00	<b>Max</b>	-160.00		-200.00
<b>Min</b>	-147.67		-191.33	<b>Min</b>	0.00		-77.43



**MAMMOTH COMMUNITY WATER DISTRICT  
PRODUCTION WELL WATER LEVEL DATA  
OCTOBER 2003 - SEPTEMBER 2004**

<b>WELL NO. 10</b>				<b>WELL NO. 15</b>			
Date	Static	Date	Pumping	Date	Static	Date	Pumping
09/17/03	-117.20	09/10/03	-172.75	10/08/03	-312.80	10/03/03	-324.40
09/24/03	-115.10	06/16/04	-148.35	10/22/03	-315.10	10/15/03	-327.50
11/18/03	-93.95	06/23/04	-160.92	11/18/03	-300.80	07/08/04	-274.50
12/17/03	-91.35	06/30/04	-156.20	12/17/03	-303.10	07/14/04	-278.10
01/14/04	-107.70	07/08/04	-159.05	01/14/04	-283.10	07/21/04	-280.05
03/17/04	-111.60	07/14/04	-160.55	03/17/04	-269.80	07/28/04	-282.10
04/16/04	-89.95	07/21/04	-160.50	04/16/04	-265.35	08/04/04	-282.50
06/04/04	-75.27	07/28/04	-151.30	06/04/04	-255.91	08/11/04	-289.85
06/10/04	-75.00	08/11/04	-165.30	06/10/04	-254.50	08/18/04	-291.40
08/04/04	-98.60	08/18/04	-156.90	06/16/04	-266.90	08/25/04	-294.25
		08/25/04	-171.15	06/24/04	-253.85	09/01/04	-298.80
		09/01/04	-170.27	06/30/04	-257.10	09/29/04	-299.22
		09/16/04	-176.85	09/16/04	-293.21		
		09/22/04	-178.10	09/22/04	-285.56		
		09/29/04	-180.50				
<b>Mean</b>	-97.57		-164.58		-279.79		-293.56
<b>Max</b>	-117.20		-180.50		-315.10		-327.50
<b>Min</b>	-75.00		-148.35		-253.85		-274.50
<b>Historical</b>							
<b>Mean</b>	-56.37		-129.07		-222.56		-263.13
<b>Max</b>	-164.00		-200.00		-315.10		-327.50
<b>Min</b>	-8.13		-40.92		-168.15		-183.42

prodwell




**MAMMOTH COMMUNITY WATER DISTRICT  
PRODUCTION WELL WATER LEVEL DATA  
OCTOBER 2003 - SEPTEMBER 2004**

<b>WELL NO. 18</b>				<b>WELL NO. 20</b>			
Date	Static	Date	Pumping	Date	Static	Date	Pumping
10/03/03	-111.30	10/08/03	-324.80	12/17/03	-415.15	08/25/04	-528.20
10/15/03	-109.90	01/14/04	-282.75	01/14/04	-416.30	09/01/04	-529.30
10/22/03	-107.80	06/04/04	-361.28	08/19/04	-419.30	10/13/04	-482.15
11/18/03	-100.30	06/10/04	-258.60	09/16/04	-425.40		
12/17/03	-97.20	09/01/04	-274.95	09/22/04	-423.70		
01/16/04	-92.80			09/29/04	-420.61		
03/17/04	-95.10						
06/16/04	-108.40						
06/23/04	-104.80						
06/30/04	-104.90						
07/08/04	-100.50						
07/14/04	-99.40						
07/21/04	-98.05						
07/28/04	-100.40						
08/04/04	-102.25						
08/11/04	-104.10						
08/18/04	-102.50						
08/25/04	-105.45						
09/16/04	-105.80						
09/22/04	-104.30						
09/29/04	-103.36						
<b>Mean</b>	-102.79		-300.48		-420.08		-513.22
<b>Max</b>	-111.30		-361.28		-425.40		-529.30
<b>Min</b>	-92.80		-258.60		-415.15		-482.15
<b>Historical</b>							
<b>Mean</b>	-67.11		-229.64		-412.10		-465.36
<b>Max</b>	-117.88		-339.20		-470.95		-530.30
<b>Min</b>	-40.00		-81.91		-376.10		-417.80


prodwell

APPENDIX B


PUMPAGE AND WATER-LEVEL HYDROGRAPHS  
FOR EARLIER SUPPLY WELLS



**WATER-LEVEL AND PUMPAGE HYDROGRAPH FOR WELL NO. 1**



WATER-LEVEL AND PUMPAGE HYDROGRAPH FOR WELL NO. 6



**WATER-LEVEL AND PUMPAGE HYDROGRAPH FOR WELL NO. 10**

APPENDIX C  
WATER-LEVEL MEASUREMENTS  
FOR MONITOR WELLS




MAMMOTH COMMUNITY WATER DISTRICT  
MONITOR WELL LEVEL DATA


Date	Well 4M	Well 5A	Well 5M	Well 7	Well 10M	Well 11	Well 11M	Well 12M	Well 14M	Well 19	Well 21	Well 22	Well 23	Well 24	Well 25
10/02/03	37.10	7.20	8.75		dry	Artesian 1/16"	21.90	dry		346.71	230.42	80.35	14.95	378.49	331.35
10/08/03	37.35	Road closed			dry	Artesian 1/16"	22.70	dry				80.35	14.78		331.10
10/15/03	37.65	Road closed			dry	Artesian 1/16"	23.50	dry				80.37	14.55		332.05
10/22/03	37.80	Road closed			dry	Artesian 1/2"	24.35	dry				80.37	14.50		330.70
11/04/03										346.78	232.58			378.59	
11/18/03	38.50	6.95	8.20		29.7	Artesian 1/4"	27.20	dry		347.07	235.73	80.35	15.40	380.21	327.40
12/04/03	38.95	7.00	7.80		29.7	Artesian 1/4"	29.60	dry		348.25	236.48	85.05	14.72	380.68	325.75
01/09/04					dry	Artesian 1/16"	30.85	dry		347.73	233.76	85.30	14.65	380.68	322.85
01/14/04	38.45	6.40	7.60							348.81	234.16			381.93	
02/03/04												85.40	12.97	381.94	318.20
03/05/04					29.70	0.05	32.40	25.30		348.93	237.22		14.35	381.6	313.20
03/17/04	40.65	6.20	7.05							348.55	232.81			381.6	
04/06/04										348.00	232.72	79.97	12.06	382.09	319.7
04/15/04										349.00	237.29	79.72	12.45		
05/05/04	36.21	5.91	7.44		29.69	Artesian 1.0"	11.51	dry				77.08	12.85		316.78
06/04/04	36.15	5.79	7.62		dry	Artesian 1.5"	9.75	17.65				dry			314.6
06/10/04	46.85	5.95	7.70		dry	Artesian 1.5"	9.20	17.7				81.15	13.80	381.75	313.35
06/16/04	46.85	5.84	7.80		dry	Artesian 1.5"	9.02	13.76							
06/23/04	46.85	5.84	7.80		dry	Artesian 1.5"	9.17	13.15							
06/30/04	46.70	6.03	7.94		dry	Artesian 1.5"				347.69	232.36				
07/07/04					dry	Artesian 1.5"	12.75	13.6				80.8	14.50		313.25
07/08/04	36.01	6.11	8.00		dry	Artesian 1.5"	14.90	dry				80.4	14.28		313.7
07/14/04	36.25	6.15	8.13		dry	Artesian 1.5"	12.10	dry				80.25	14.15		316.15
07/21/04	36.45	6.20	8.20		dry	Artesian 2.0"	16.65	20.1				79.6	14.48		321.2
07/28/04	36.55	6.50	8.35		dry	Artesian 2.0"				346.92	232.2			381.79	
08/03/04												79.15	14.23		318.76
08/04/04	36.70	6.54	8.50		dry	Artesian 1.5"	18.81	21.44				79.8	14.35		318.05
08/11/04	36.80	6.41	8.61		dry	Artesian 1.0"	20.14	dry				80.95	14.48		317.65
08/18/04	36.80	6.40	8.58		dry	Artesian 0.75"	21.06	dry		345.9	232.2	81.94	14.88	382.27	318.6
08/25/04	37.10	6.74	8.66		dry	Artesian 0"	21.70	dry				83.04	15.09		325
09/01/04	37.25	6.67	8.76		dry	0.1	22.20	dry							
09/09/04	37.63	6.88	8.81		dry	0.15	23.35	dry		348.99	230.25	84.49	15.16	382.45	325.45
09/16/04	37.98	6.99	8.46		dry	0	23.89	dry				84.63	15.59		325.92
09/22/04	38.20	6.36	8.30		dry	0.03	24.49	dry				85.25	15.66		324.38
09/29/04															
Mean	38.52	6.40	8.15	#DIV/0!	dry	0.07	19.73	17.84	348.08	346.89	232.97	81.50	14.31	381.15	321.41
Maximum	36.01	5.78	7.05	0.00	dry	0.00	9.02	13.15	345.90	346.10	230.25	77.08	12.06	378.49	313.20
Minimum	46.95	7.20	8.81	0.00	dry	0.15	32.40	25.30	349.00	347.58	236.48	85.40	15.66	382.45	332.05
Mean*	29.70	3.73	7.24	256.63	23.57	#DIV/0!	20.36	16.93	322.24	337.00	271.87	81.09	12.75	375.65	
Maximum*	15.96	0.00	2.41	240.94	9.69	#DIV/0!	4.14	4.25	234.88	312.33	230.20	70.79	6.00	350.87	
Minimum*	46.95	7.48	9.30	290.95	32.48	#DIV/0!	39.17	27.00	360.71	357.25	365.42	86.22	17.10	394.14	

\* Long term mean, maximum, and minimum


APPENDIX D  
SUPPLEMENTARY WATER-LEVEL  
HYDROGRAPHS FOR MONITOR WELLS




**WATER-LEVEL HYDROGRAPH FOR WELL NO. 4M**




WATER-LEVEL HYDROGRAPH FOR WELL NO. 5, NO. 5A, AND NO. 5M




WATER-LEVEL HYDROGRAPH FOR WELL NO. 7



WATER-LEVEL HYDROGRAPH FOR WELL NO. 10M




WATER-LEVEL HYDROGRAPH FOR WELL NO. 11M




WATER-LEVEL HYDROGRAPH FOR WELL NO. 11







**WATER-LEVEL HYDROGRAPH FOR WELL NO. 12M**

# WATER-LEVEL HYDROGRAPH FOR MW-14M IN OCTOBER 2003






**WATER-LEVEL HYDROGRAPH FOR MW-14M IN DECEMBER 2003**





WATER-LEVEL HYDROGRAPH FOR MW-14M IN FEBRUARY 2004




WATER-LEVEL HYDROGRAPH FOR MW-14M IN APRIL 2004

# WATER-LEVEL HYDROGRAPH FOR MW-14M IN OCTOBER 2003






**WATER-LEVEL HYDROGRAPH FOR MW-14M IN NOVEMBER 2003**




**WATER-LEVEL HYDROGRAPH FOR MW-14M IN DECEMBER 2003**




# WATER-LEVEL HYDROGRAPH FOR MW-14M IN JANUARY 2004






WATER-LEVEL HYDROGRAPH FOR MW-14M IN FEBRUARY 2004


# WATER-LEVEL HYDROGRAPH FOR MW-14M IN MARCH 2004







WATER-LEVEL HYDROGRAPH FOR MW-14M IN APRIL 2004

# WATER-LEVEL HYDROGRAPH FOR MW-14M IN MAY 2004




# WATER-LEVEL HYDROGRAPH FOR MW-14M IN JUNE 2004






**WATER-LEVEL HYDROGRAPH FOR MW-14M IN JULY 2004**




**WATER-LEVEL HYDROGRAPH FOR MW-14M IN AUGUST 2004**







WATER-LEVEL HYDROGRAPH FOR MW-14M IN SEPTEMBER 2004



WATER-LEVEL HYDROGRAPH FOR WELL NO. 19 IN OCTOBER 2003





**WATER-LEVEL HYDROGRAPH FOR WELL NO. 19 IN NOVEMBER 2003**



**WATER-LEVEL HYDROGRAPH FOR WELL NO. 19 IN DECEMBER 2003**


WATER-LEVEL HYDROGRAPH FOR WELL NO. 19 IN JANUARY 2004






WATER-LEVEL HYDROGRAPH FOR WELL NO. 19 IN FEBRUARY 2004


**WATER-LEVEL HYDROGRAPH FOR WELL NO. 19 IN MARCH 2004**






WATER-LEVEL HYDROGRAPH FOR WELL NO. 19 IN APRIL 2004







WATER-LEVEL HYDROGRAPH FOR WELL NO. 19 IN MAY 2004




WATER-LEVEL HYDROGRAPH FOR WELL NO. 19 IN JUNE 2004




WATER-LEVEL HYDROGRAPH FOR WELL NO. 19 IN JULY 2004




WATER-LEVEL HYDROGRAPH FOR WELL NO. 19 IN AUGUST 2004




WATER-LEVEL HYDROGRAPH FOR WELL NO. 19 IN SEPTEMBER 2004



WATER-LEVEL HYDROGRAPH FOR WELL NO. 21 IN OCTOBER 2003




WATER-LEVEL HYDROGRAPH FOR WELL NO. 21 IN NOVEMBER 2003




WATER-LEVEL HYDROGRAPH FOR WELL NO. 21 IN DECEMBER 2003







WATER-LEVEL HYDROGRAPH FOR WELL NO. 21 IN JANUARY 2004




WATER-LEVEL HYDROGRAPH FOR WELL NO. 21 IN FEBRUARY 2004




**WATER-LEVEL HYDROGRAPH FOR WELL NO. 21 IN MARCH 2004**




WATER-LEVEL HYDROGRAPH FOR WELL NO. 21 IN APRIL 2004




WATER-LEVEL HYDROGRAPH FOR WELL NO. 21 IN MAY 2004



WATER-LEVEL HYDROGRAPH FOR WELL NO. 21 IN JUNE 2004




**WATER-LEVEL HYDROGRAPH FOR WELL NO. 21 IN JULY 2004**




WATER-LEVEL HYDROGRAPH FOR WELL NO. 21 IN AUGUST 2004






**WATER-LEVEL HYDROGRAPH FOR WELL NO. 21 IN SEPTEMBER 2004**




WATER-LEVEL HYDROGRAPH FOR WELL NO. 24 IN OCTOBER 2003




WATER-LEVEL HYDROGRAPH FOR WELL NO. 24 IN NOVEMBER 2003


**WATER-LEVEL HYDROGRAPH FOR WELL NO. 24 IN DECEMBER 2003**




**WATER-LEVEL HYDROGRAPH FOR WELL NO. 24 IN JANUARY 2004**




WATER-LEVEL HYDROGRAPH FOR WELL NO. 24 IN FEBRUARY 2004






WATER-LEVEL HYDROGRAPH FOR WELL NO. 24 IN MARCH 2004




WATER-LEVEL HYDROGRAPH FOR WELL NO. 24 IN APRIL 2004







WATER-LEVEL HYDROGRAPH FOR WELL NO. 24 IN MAY 2004




WATER-LEVEL HYDROGRAPH FOR WELL NO. 24 IN JUNE 2004




WATER-LEVEL HYDROGRAPH FOR WELL NO. 24 IN JULY 2004



WATER-LEVEL HYDROGRAPH FOR WELL NO. 24 IN AUGUST 2004



WATER-LEVEL HYDROGRAPH FOR WELL NO. 24 IN SEPTEMBER 2004



**WATER-LEVEL HYDROGRAPH FOR WELL NO. 25**

End of section 2

APPENDIX E

CHEMICAL ANALYSES OF WATER FROM DISTRICT WELLS

**MAMMOTH COMMUNITY WATER DISTRICT  
PRODUCTION WELL WATER QUALITY**

<b>Production Well Site</b>	<b>Sample Date</b>	<b>Sample Time</b>	<b>Conductivity umho/cm</b>	<b>TDS mg/L</b>	<b>Temp F</b>	<b>pH</b>	
<b>1</b>	06/06/96	8:20	240	168	47	7.4	
	09/12/97	10:15	190	96	49	7.2	
	07/06/98	14:30	210	120	47	7.4	
	07/14/99	9:20	208	165	48	7.6	
	08/22/00	7:45	210	156	49	7.2	
	07/27/01	8:30	220	140	49	6.5	
	09/05/02	7:50	232	116	48	6.6	
	09/25/03	9:15	277	182	42	7.1	
	07/20/04	10:30	210	160	45	7.5	
<b>6</b>	06/06/96	9:05	470	283	49	7.5	
	09/12/97	9:25	397	198	53	7.1	
	07/07/98	8:20	300	160	51	8.2	
	07/14/99	8:45	305	172	50	7.6	
	07/28/00	8:15	310	166	50	7.4	
	07/26/01	10:00	380	230	51	7.4	
	09/05/02	14:30	350	190	51	7.2	
	09/25/03	11:00	427	287	44	7.4	
	07/20/04	9:45	420	290	50	7.6	
<b>10</b>	06/06/96	9:20	465	315	50	7.3	
	09/12/97	9:14	359	179	55	7.2	
	06/30/98	13:25	350	240	49	7.6	
	07/14/99	8:30	353	231	49	7.5	
	07/28/00	8:30	360	228	50	7.5	
	07/26/01	10:15	470	300	51	6.6	
	09/05/02	8:10	410	225	51	7.0	
	09/25/03	Well out of service					
	07/20/04	10:04	430	280	50	7.5	
	<b>15</b>	06/06/96	9:45	240	152	55	7.4
09/12/97		9:19	288	144	55	7.2	
06/30/98		13:45	360	210	53	7.5	
07/14/99		9:05	355	190	55	7.6	
08/22/00		8:10	350	187	54	7.3	
07/02/01		10:40	330	220	55	7.4	
09/05/02		8:20	290	185	53	7.2	
09/25/03		10:00	415	279	50	7.2	
07/20/04		9:15	300	200	50	7.6	
<b>16</b>	07/11/96	9:00	660	432	70	7.5	
	09/11/97	10:11	632	317	73	7.1	
	07/06/98	14:35	710	500	70	7.1	
	08/20/99	10:30	690	480	70	7.2	
	08/22/00	8:25	695	485	74	7.3	
	07/02/01	9:30	710	490	70	6.9	
	09/09/02	8:00	705	480	70	6.7	
	09/25/03	Well out of service					
	08/03/04		550	360	71	7.2	



**MAMMOTH COMMUNITY WATER DISTRICT  
PRODUCTION WELL WATER QUALITY**

<b>Production Well Site</b>	<b>Sample Date</b>	<b>Sample Time</b>	<b>Conductivity umho/cm</b>	<b>TDS mg/L</b>	<b>Temp F</b>	<b>pH</b>	
<b>17</b>	07/11/96	8:45	360	265	65	7.3	
	No sample due to motor/pump failure						
	07/06/98	9:15	350	280	60	7.1	
	08/20/99	10:10	350	280	61	7.2	
	08/22/00	8:40	355	276	63	7.2	
	07/02/01	9:10	410	310	60	6.7	
	09/03/02	8:30	400	290	61	6.6	
	09/25/03	8:55	420	282	62	6.5	
	08/03/04		410	270	60	7.5	
	<b>18</b>	07/11/96	8:15	540	332	47	7.1
09/12/97		13:40	500	251	68	7.1	
07/06/98		14:15	490	350	70	6.9	
08/20/99		11:30	510	355	67	7.1	
08/22/00		8:20	505	346	68	7.1	
07/02/01		10:15	530	370	67	6.4	
09/05/02		8:45	535	310	65	6.8	
09/25/03		10:40	637	434	60	6.7	
08/03/04			560	370	62	7.3	
<b>20</b>		07/11/96	9:20	217	164	59	7.1
	09/11/97	9:57	336	168	61	6.9	
	No sample due to motor/pump failure						
	08/20/99	11:00	310	210	60	7.1	
	08/22/00	9:00	305	190	61	7.1	
	07/27/01	8:45	340	250	60	6.8	
	09/05/02	9:30	400	195	63	6.6	
	09/25/03	9:05	387	259	56	6.7	
	08/03/04		290	200	60	7.2	


APPENDIX F  
MAMMOTH CREEK STREAMFLOW

TWIN LAKES OUTFLOW

Day	2003			Twin Lakes Outflow											
	OCT	NOV	DEC	2004											
				JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP			
1	7.5	5.8	5.8	8.1	8.1	7.5	6.9	14.1	44.2	17.9	10.0	9.3			
2	8.1	6.3	5.8	8.1	8.7	7.5	7.5	15.6	46.3	17.1	10.0	6.9			
3	8.1	6.3	5.8	8.1	8.7	7.5	7.5	16.4	50.7	16.4	10.0	8.1			
4	8.1	5.8	8.1	10.6	8.1	7.5	8.7	17.9	55.3	16.4	10.0	8.1			
5	8.1	5.8	10.6	8.1	8.1	7.5	8.7	17.9	48.5	15.6	10.0	8.1			
6	8.1	8.1	5.8	9.3	8.1	8.7	7.5	35.9	48.5	15.6	10.0	8.1			
7	7.5	8.1	8.1	8.1	8.7	6.9	7.5	30.1	48.5	15.6	10.0	8.1			
8	7.5	5.8	6.3	8.1	8.7	6.9	7.5	49.6	35.9	14.9	10.0				
9	7.5	5.8	10.0	8.1	8.7	6.9	8.1	33.9	32.0	15.6	10.0				
10	6.9	5.8	7.5	8.1	8.7	6.9	8.1	33.9	32.0	14.1	10.0				
11	8.1	5.8	6.3	8.1	8.7	6.9	8.7	34.9	32.0	13.4	10.0				
12	8.1	7.5	6.3	8.1	8.1	6.3	8.7	28.2	25.5	12.7	10.0				
13	8.1	6.3	6.9	7.5	8.7	6.3	8.1	27.3	27.3	12.0	10.6				
14	7.5	5.8	6.9	7.5	8.1	5.8	8.1	30.1	34.9	12.7	10.6				
15	6.9	6.3	6.9	7.5	8.1	5.8	8.1	30.1	37.9	12.0	10.6				
16	6.9	6.3	6.3	8.1	9.3	5.8	9.3	32.0	36.9	12.0	10.6				
17	6.9	6.3	6.3	8.1	8.1	5.3	9.3	32.0	35.9	12.0	10.0				
18	6.9	5.8	6.3	8.1	8.1	5.8	9.3	37.9	34.9	12.0	10.0				
19	6.9	5.8	6.9	8.1	7.5	5.8	8.7	43.1	32.9	11.3	10.6				
20	6.9	5.8	6.9	8.7	7.5	5.8	8.7	32.0	32.0	11.3	10.0				
21	6.9	5.8	6.9	8.7	7.5	6.3	8.1	27.3	30.1	11.3	10.0				
22	6.9	5.8	6.3	8.7	7.5	6.3	8.1	28.2	28.2	11.3	10.0				
23	6.9	5.8	6.3	8.7	7.5	5.8	9.3	29.1	28.2	11.3	10.0				
24	6.9	5.8	10.0	8.1	7.5	6.3	10.0	30.1	26.4	11.3	10.0	6.5			
25	6.9	5.8	10.0	8.1	7.5	6.9	10.0	30.1	23.7	11.3	10.0	6.5			
26	6.9	5.8	8.1	8.7	6.9	6.3	10.6	33.9	23.7	11.3	9.3	6.5			
27	6.9	5.8	8.1	8.7	9.3	6.3	11.3	30.1	22.0	11.3	10.0	6.5			
28	6.9	5.8	8.1	8.7	9.3	6.3	10.6		20.4	11.3	10.0	6.5			
29	5.8	5.8	8.1	8.1	7.5	6.9	12.7		19.5	11.3	10.0	6.5			
30	4.7	5.8	8.1	8.1	7.5	7.5	13.4		18.7	10.6	10.0	6.3			
31	5.8		8.1	8.1		7.5				10.6	9.3				
Mean	7.2	6.0	7.5	8.3	7.7	6.6	9.0	29.7	33.8	13.0	10.0	7.3			
Maximum	8.1	8.1	10.6	10.6	9.3	7.5	13.4	49.6	55.3	17.9	10.6	9.3			
Minimum	4.7	5.8	5.8	7.5	0.0	5.3	6.9	14.1	18.7	10.6	9.3	6.3			


MAMMOTH CREEK AT OLD MAMMOTH ROAD

Day/	Mammoth Creek at Old Mammoth Road												
	2004												
	2003	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	5.7	5.7	5.7	5.9	6.8	7.6	8.6	11.2	17.6	51.2	18.0	9.8	6.8
2	5.9	6.2	5.7	5.7	6.8	7.3	8.9	10.8	18.9	53.7	17.0	9.8	5.9
3	5.9	6.2	5.7	6.2	7.3	6.2	8.6	12.2	20.2	58.1	16.8	7.6	6.2
4	5.9	6.2	6.2	12.6	7.3	7.6	7.9	13.3	20.2	62.7	16.8	7.3	5.9
5	5.9	5.9	17.2	7.1	7.1	7.3	7.9	13.7	22.4	54.3	17.2	7.6	5.5
6	5.9	5.9	11.9	7.3	7.3	7.6	8.2	12.6	23.3	56.2	16.8	7.6	5.7
7	5.9	5.9	9.2	7.6	7.6	8.2	8.2	11.9	37.3	53.7	17.0	7.6	5.7
8	5.5	5.9	8.6	6.7	6.7	8.2	8.9	11.9	55.0	53.7	17.0	7.6	8.6
9	5.5	5.9	6.8	6.8	6.8	7.9	9.2	11.9	53.7	50.6	16.0	7.3	10.5
10	5.1	6.5	7.9	7.3	7.3	8.2	8.9	11.9	37.3	37.3	14.8	7.3	10.5
11	6.5	6.5	7.3	7.3	7.3	7.6	8.9	11.5	37.8	36.2	14.5	7.0	5.9
12	6.2	6.5	6.5	6.5	7.1	8.2	8.9	12.9	32.5	29.5	14.1	7.6	5.7
13	7.1	7.3	6.8	6.2	7.1	7.3	8.9	12.6	31.5	28.5	12.6	8.2	9.2
14	6.5	6.2	6.2	6.2	7.1	7.3	9.5	11.5	33.6	37.3	13.3	7.6	7.0
15	5.9	6.5	6.2	6.2	7.1	7.3	9.5	11.5	33.6	39.5	12.6	7.6	6.2
16	5.9	6.5	6.2	6.2	7.1	9.8	9.8	12.2	35.7	40.1	12.6	7.6	6.2
17	5.9	6.2	6.2	6.2	7.1	8.2	9.5	10.2	37.3	39.5	12.2	7.6	5.9
18	5.9	6.2	6.5	6.5	7.1	8.6	9.5	11.9	39.5	37.3	12.2	7.3	5.9
19	5.7	6.2	7.3	7.3	7.3	7.6	12.2	11.5	46.4	35.1	12.2	7.6	5.9
20	5.5	6.2	7.6	7.6	7.6	7.6	12.2	10.8	46.3	34.6	10.8	7.6	6.2
21	5.9	5.7	6.5	6.5	7.9	7.3	12.6	10.2	30.5	30.5	10.8	7.6	5.9
22	5.7	5.7	7.1	7.1	7.9	7.6	14.1	11.2	30.5	31.0	10.8	7.9	6.2
23	5.4	5.9	7.1	7.1	7.6	7.3	13.7	11.5	31.5	29.5	10.5	7.3	5.9
24	5.7	5.9	9.2	7.6	7.6	5.1	14.1	11.5	32.5	28.5	10.2	7.9	5.9
25	5.7	5.9	10.5	7.6	7.6	8.9	13.3	12.2	37.3	27.0	10.2	8.2	5.9
26	5.7	5.9	7.9	7.9	7.9	7.9	13.3	12.6	36.2	26.1	10.2	7.2	5.7
27	5.7	6.2	7.9	7.9	7.9	7.6	11.5	14.1	32.5	24.2	10.2	7.9	5.7
28	5.9	5.9	7.9	7.9	7.6	7.6	11.5	14.8	51.2	21.9	10.2	7.9	5.7
29	6.5	6.2	7.9	7.9	7.9	7.9	12.2	14.5	64.0	21.0	10.2	7.9	6.2
30	5.1	5.7	7.9	7.9	7.9	7.9	12.9	16.4	60.1	21.0	9.8	7.6	6.2
31	5.9	7.9	7.9	7.9	7.6	13.3	13.3	16.4	46.4	21.0	9.8	7.3	6.2
Mean	5.9	6.1	7.9	7.4	7.4	7.7	10.5	12.2	36.5	38.3	13.2	7.8	6.5
Maximum	7.1	7.3	17.2	7.9	9.8	14.1	16.4	16.4	64.0	62.7	18.0	9.8	10.5
Minimum	5.1	5.7	5.7	6.7	6.7	5.1	7.9	10.2	17.6	21.0	9.8	7.0	5.5



MAMMOTH CREEK STREAMFLOW COMPARISON


October 2003  
Precipitation: 10/31



November 2003


Precipitation: 11/3,8,12

MAMMOTH CREEK STREAMFLOW COMPARISON




December 2003

MAMMOTH CREEK STREAMFLOW COMPARISON




MAMMOTH CREEK STREAMFLOW COMPARISON







MAMMOTH CREEK STREAMFLOW COMPARISON




MAMMOTH CREEK STREAMFLOW COMPARISON




MAMMOTH CREEK STREAMFLOW COMPARISON




MAMMOTH CREEK FLOW COMPARISON



MAMMOTH CREEK STREAMFLOW COMPARISON




MAMMOTH CREEK STREAMFLOW COMPARISON



MAMMOTH CREEK STREAMFLOW COMPARISON

August 2004  
 Precipitation: 8/12,13,15



MAMMOTH CREEK STREAMFLOW COMPARISON