

# **APPENDIX F**

## Plant and Wildlife Species Compendium

---

**THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK**

# APPENDIX F

## PLANT AND WILDLIFE SPECIES COMPENDIUM

### BRYOPHYTES

---

SCIENTIFIC NAME	COMMON NAME
<b>Bruchiaceae</b>	<b>Moss Family</b>
<i>Aulacomnium palustre</i>	ribbed bog moss
<i>Bryum pseudotriquetrum</i>	common green bryum moss
<i>Plagiothecium denticulatum</i>	dented silk-moss

\* = Non-native Species

# GYMNOSPERMS

SCIENTIFIC NAME	COMMON NAME
<b>Cupressaceae</b>	<b>Cypress Family</b>
<i>Juniperus occidentalis</i>	western juniper
<b>Pinaceae</b>	<b>Pine Family</b>
<i>Abies concolor</i>	white fir
<i>Pinus monticola</i> <sup>a</sup>	Western white pine
<i>Pinus jeffreyi</i> <sup>a</sup>	Jeffrey pine
<i>Tsuga mertensiana</i> <sup>a</sup>	mountain hemlock
<i>Pinus contorta</i> ssp. <i>murrayana</i>	lodgepole pine

\* = Non-native Species

<sup>a</sup> This plant could not be identified to species; however, it could be determined that it was not Kern River daisy (*Erigeron multiceps*) since the leaves were mostly cauline.

<sup>b</sup> This plant could not be identified to species; however it could be determined that it was not Hockett Meadows lupine (*Lupinus lepidus* var. *culbertsonii*) since it did not have a prostrate growth form and it was not Father Crowley's lupine (*Lupinus padre-crowleyi*) due to the small size of the leaflets.

<sup>c</sup> The USFS reported an occurrence of approximately 375 plants in the vicinity of the project site on July 21, 2009.

<sup>d</sup> This plant could not be identified to species; however, it could be determined that it was not alkali ivesia (*Ivesia kingii* var. *kingii*) since it was observed in non-alkali environment.

## ANGIOSPERMS (DICOTYLEDONS)

SCIENTIFIC NAME	COMMON NAME
<b>Apiaceae</b>	<b>Carrot Family</b>
<i>Angelica lineariloba</i>	Sierra soda straw
<i>Heracleum lanatum</i>	cow parsnip
<i>Osmorhiza chilensis</i>	western sweetroot
<i>Osmorhiza occidentalis</i>	western sweet-cicely
<i>Perideridia parishii</i> ssp. <i>latifolia</i>	yampah
<i>Sphenosciadium capitellatum</i> <sup>a</sup>	ranger's buttons
<b>Asteraceae</b>	<b>Sunflower Family</b>
<i>Achillea millefolium</i>	yarrow milfoil
<i>Antennaria rosea</i> ssp. <i>confinis</i>	rosy everlasting
<i>Artemisia cana</i>	hoary sagebrush
<i>Artemisia ludoviciana</i> ssp. <i>ludoviciana</i>	silver wormwood
<i>Artemisia tridentata</i>	Great Basin sagebrush
<i>Chrysothamnus nauseosus</i> ssp. <i>albicaulis</i>	rubber rabbitbrush
<i>Cirsium scariosum</i>	elk thistle
<i>Erigeron peregrinus</i> var. <i>hirsutus</i>	wandering daisy
<i>Erigeron</i> sp. <sup>a</sup>	daisy
<i>Gnaphalium palustre</i>	lowland cudweed
<i>Senecio hydrophilus</i>	senecio
<i>Senecio triangularis</i>	arrow-leaf butterweed
<i>Solidago californica</i>	California goldenrod
<i>Solidago canadensis</i> ssp. <i>elongata</i>	meadow goldenrod
<i>Taraxacum officinale</i>	common dandelion
<i>Tetradymia canescens</i>	cotton-thorn
* <i>Tragopogon dubius</i>	goat's beard
<i>Wyethia mollis</i>	mule's ears

\* = Non-native Species

<sup>a</sup> This plant could not be identified to species; however, it could be determined that it was not Kern River daisy (*Erigeron multiceps*) since the leaves were mostly cauline.

<sup>b</sup> This plant could not be identified to species; however it could be determined that it was not Hockett Meadows lupine (*Lupinus lepidus* var. *culbertsonii*) since it did not have a prostrate growth form and it was not Father Crowley's lupine (*Lupinus padre-crowleyi*) due to the small size of the leaflets.

<sup>c</sup> The USFS reported an occurrence of approximately 375 plants in the vicinity of the project site on July 21, 2009.

<sup>d</sup> This plant could not be identified to species; however, it could be determined that it was not alkali ivesia (*Ivesia kingii* var. *kingii*) since it was observed in non-alkali environment.

## ANGIOSPERMS (DICOTYLEDONS)

SCIENTIFIC NAME	COMMON NAME
<b>Betulaceae</b>	<b>Birch Family</b>
<i>Alnus incana ssp. tenuifolia</i>	mountain alder
<b>Boraginaceae</b>	<b>Borage Family</b>
<i>Cryptantha muricata</i>	prickly cryptantha
<b>Brassicaceae</b>	<b>Mustard Family</b>
* <i>Capsella bursa-pastoris</i>	shepherd's purse
<i>Lepidium virginicum var. pubescens</i>	wild peppergrass
<i>Rorippa nasturtium-aquaticum</i>	water cress
<i>Thysanocarpus sp.</i>	fringe pod
<b>Caprifoliaceae</b>	<b>Honeysuckle Family</b>
<i>Lonicera involucrata</i>	twinberry
<i>Symphoricarpos mollis</i>	creeping snowberry
<i>Symphoricarpos rotundifolius</i>	mountain snowberry
<b>Caryophyllaceae</b>	<b>Pink Family</b>
<i>Stellaria longipes var. longipes</i>	long-stalked starwort
<b>Chenopodiaceae</b>	<b>Goosefoot Family</b>
* <i>Chenopodium album</i>	pigweed
<b>Cornaceae</b>	<b>Dogwood Family</b>
<i>Cornus sp.</i>	dogwood
<b>Ericaceae</b>	<b>Heath Family</b>
<i>Arctostaphylos patula</i>	greenleaf manzanita
<i>Pyrola asarifolia</i>	Bog wintergreen
<b>Fabaceae</b>	<b>Legume Family</b>
* <i>Lotus corniculatus</i>	birdfoot trefoil
<i>Lupinus sp.<sup>b</sup></i>	lupine
<i>Lupinus polyphyllus</i>	meadow lupine
<i>Orthocarpus cuspidatus ssp. copelandii</i>	Copeland's owls clover
<i>Trifolium pratense</i>	red clover

\* = Non-native Species

<sup>a</sup> This plant could not be identified to species; however, it could be determined that it was not Kern River daisy (*Erigeron multiceps*) since the leaves were mostly cauline.

<sup>b</sup> This plant could not be identified to species; however it could be determined that it was not Hockett Meadows lupine (*Lupinus lepidus var. culbertsonii*) since it did not have a prostrate growth form and it was not Father Crowley's lupine (*Lupinus padre-crowleyi*) due to the small size of the leaflets.

<sup>c</sup> The USFS reported an occurrence of approximately 375 plants in the vicinity of the project site on July 21, 2009.

<sup>d</sup> This plant could not be identified to species; however, it could be determined that it was not alkali ivesia (*Ivesia kingii var. kingii*) since it was observed in non-alkali environment.

## ANGIOSPERMS (DICOTYLEDONS)

SCIENTIFIC NAME	COMMON NAME
<i>Trifolium willdenovii</i>	clover
<b>Fagaceae</b>	<b>Oak Family</b>
<i>Chrysolepis sempervirens</i>	chinquapin
<b>Gentianaceae</b>	<b>Gentian Family</b>
<i>Swertia radiata</i>	monument plant
<b>Grossulariaceae</b>	<b>Gooseberry Family</b>
<i>Ribes</i> sp.	gooseberry
<i>Ribes cereum</i>	squaw currant
<i>Ribes montigenum</i>	alpine prickly currant
<b>Haloragaceae</b>	<b>Water-Milfoil Family</b>
<i>Myriophyllum sibiricum</i>	water-milfoil
<b>Hippuridaceae</b>	<b>Mare's Tail Family</b>
<i>Hippuris vulgaris</i>	mare's-tail
<b>Hydrophyllaceae</b>	<b>Waterleaf Family</b>
<i>Phacelia ramosissima</i> var. <i>subgraba</i>	branching phacelia
<i>Phacelia</i> sp.	phacelia
<b>Hypericaceae</b>	<b>St. John's Wort Family</b>
<i>Hypericum anagalloides</i>	Tinker's penny
<b>Lamiaceae</b>	<b>Mint Family</b>
<i>Agastache urticifolia</i>	horse-mint
<i>Stachys albens</i>	hedge nettle
<b>Linaceae</b>	<b>Flax Family</b>
<i>Linum lewisii</i>	blue flax
<b>Malvaceae</b>	<b>Mallow Family</b>
<i>Sidalcea oregana</i> ssp. <i>spicata</i>	spike mallow
<b>Onagraceae</b>	<b>Evening Primrose Family</b>
<i>Epilobium angustifolium</i>	fireweed
<i>Epilobium ciliatum</i>	epilobium

\* = Non-native Species

<sup>a</sup> This plant could not be identified to species; however, it could be determined that it was not Kern River daisy (*Erigeron multiceps*) since the leaves were mostly cauline.

<sup>b</sup> This plant could not be identified to species; however it could be determined that it was not Hockett Meadows lupine (*Lupinus lepidus* var. *culbertsonii*) since it did not have a prostrate growth form and it was not Father Crowley's lupine (*Lupinus padre-crowleyi*) due to the small size of the leaflets.

<sup>c</sup> The USFS reported an occurrence of approximately 375 plants in the vicinity of the project site on July 21, 2009.

<sup>d</sup> This plant could not be identified to species; however, it could be determined that it was not alkali ivesia (*Ivesia kingii* var. *kingii*) since it was observed in non-alkali environment.

## ANGIOSPERMS (DICOTYLEDONS)

SCIENTIFIC NAME	COMMON NAME
<i>Epilobium glaberrimum</i>	smoothstem willow-herb
<i>Epilobium howellii</i> <sup>c</sup>	subalpine fireweed
<i>Gayophytum ramosissimum</i>	gayophytum
<i>Oenothera</i> sp.	primrose
<b>Polemoniaceae</b>	<b>Phlox Family</b>
<i>Collomia linearis</i>	narrow-leaved collomia
<i>Collomia grandiflora</i>	collomia
<i>Eriastrum wilcoxii</i>	eriastrum
<i>Ipomopsis aggregata</i>	scarlet gilia
<i>Linanthus</i> sp.	linanthus
<b>Polygonaceae</b>	<b>Buckwheat Family</b>
<i>Eriogonum</i> sp.	buckwheat
<i>Eriogonum umbellatum</i>	sulphur buckwheat
<b>Ranunculaceae</b>	<b>Buttercup Family</b>
<i>Aconitum columbianum</i>	monkshood
<i>Aquilegia</i> sp.	columbine
<i>Thalictrum fendleri</i>	mountain meadow rue
<b>Rhamnaceae</b>	<b>Buckthorn Family</b>
<i>Ceanothus velutinus</i> var. <i>velutinus</i>	tobacco brush
<i>Rhamnus rubra</i>	Sierra coffeeberry
<b>Rosaceae</b>	<b>Rose Family</b>
<i>Fragaria</i> sp.	strawberry
<i>Horkeliella congdonis</i>	horkeliella
<i>Ivesia</i> sp. <sup>d</sup>	ivesia
<i>Potentilla flabellifolia</i>	fan-foil
<i>Potentilla glandulosa</i>	stickey cinquefoil
<i>Potentilla gracilis</i> var. <i>fastigiata</i>	slender cinquefoil
* <i>Potentilla norvegica</i>	cinquefoil

\* = Non-native Species

<sup>a</sup> This plant could not be identified to species; however, it could be determined that it was not Kern River daisy (*Erigeron multiceps*) since the leaves were mostly cauline.

<sup>b</sup> This plant could not be identified to species; however it could be determined that it was not Hockett Meadows lupine (*Lupinus lepidus* var. *culbertsonii*) since it did not have a prostrate growth form and it was not Father Crowley's lupine (*Lupinus padre-crowleyi*) due to the small size of the leaflets.

<sup>c</sup> The USFS reported an occurrence of approximately 375 plants in the vicinity of the project site on July 21, 2009.

<sup>d</sup> This plant could not be identified to species; however, it could be determined that it was not alkali ivesia (*Ivesia kingii* var. *kingii*) since it was observed in non-alkali environment.

## ANGIOSPERMS (DICOTYLEDONS)

SCIENTIFIC NAME	COMMON NAME
<i>Prunus emarginata</i>	bitter cherry
<i>Prunus virginiana</i> var. <i>dermissa</i>	western chokecherry
<i>Purshia tridentata</i>	antelope bitterbrush
<i>Rosa californica</i>	California rose
<i>Rosa woodsii</i> var. <i>ultramontana</i>	interior rose
<b>Salicaceae</b>	<b>Willow Family</b>
<i>Populus tremuloides</i> <sup>a</sup>	quaking aspen
<i>Salix arctica</i>	arctic willow
<i>Salix exigua</i>	narrow-leaved willow
<i>Salix jepsonii</i>	Jepson's willow
<i>Salix lemmonii</i>	Lemmon's willow
<i>Salix ligulifolia</i>	strap-leaved willow
<i>Salix lucida</i> ssp. <i>lasiandra</i>	shining willow
<i>Salix lutea</i>	yellow willow
<i>Salix planifolia</i>	tea-leaved willow
<i>Salix</i> sp.	willow
<b>Saxifragaceae</b>	<b>Saxifrage Family</b>
<i>Mitella breweri</i>	Brewer's miterwort
<b>Scrophulariaceae</b>	<b>Figwort Family</b>
<i>Castilleja applegatei</i>	wavy-leaved Indian paintbrush
<i>Castilleja linariifolia</i>	linaria-leaved Indian paintbrush
<i>Castilleja miniata</i> ssp. <i>miniata</i>	meadow paintbrush
<i>Castilleja pruinosa</i>	Indian paintbrush
<i>Mimulus guttatus</i>	common monkeyflower
<i>Mimulus lewisii</i>	Lewis' monkeyflower
<i>Mimulus primuloides</i>	primrose monkeyflower
<i>Mimulus tilingii</i>	mountain monkeyflower
<i>Pedicularis groenlandica</i>	elephant's head
<i>Penstemon</i> sp.	penstemon

\* = Non-native Species

<sup>a</sup> This plant could not be identified to species; however, it could be determined that it was not Kern River daisy (*Erigeron multiceps*) since the leaves were mostly cauline.

<sup>b</sup> This plant could not be identified to species; however it could be determined that it was not Hockett Meadows lupine (*Lupinus lepidus* var. *culbertsonii*) since it did not have a prostrate growth form and it was not Father Crowley's lupine (*Lupinus padre-crowleyi*) due to the small size of the leaflets.

<sup>c</sup> The USFS reported an occurrence of approximately 375 plants in the vicinity of the project site on July 21, 2009.

<sup>d</sup> This plant could not be identified to species; however, it could be determined that it was not alkali ivesia (*Ivesia kingii* var. *kingii*) since it was observed in non-alkali environment.

## ANGIOSPERMS (DICOTYLEDONS)

SCIENTIFIC NAME	COMMON NAME
<i>Penstemon rostriflorus</i>	Bridge's penstemon
<i>Penstemon rydbergii</i>	penstemon
* <i>Verbascum thapsus</i>	woolly mullein
* <i>Veronica anagallis-aquatica</i>	water speedwell
<b>Urticaceae</b>	<b>Nettle Family</b>
<i>Urtica dioica</i>	stinging nettle

\* = Non-native Species

<sup>a</sup> This plant could not be identified to species; however, it could be determined that it was not Kern River daisy (*Erigeron multiceps*) since the leaves were mostly cauline.

<sup>b</sup> This plant could not be identified to species; however it could be determined that it was not Hockett Meadows lupine (*Lupinus lepidus* var. *culbertsonii*) since it did not have a prostrate growth form and it was not Father Crowley's lupine (*Lupinus padre-crowleyi*) due to the small size of the leaflets.

<sup>c</sup> The USFS reported an occurrence of approximately 375 plants in the vicinity of the project site on July 21, 2009.

<sup>d</sup> This plant could not be identified to species; however, it could be determined that it was not alkali ivesia (*Ivesia kingii* var. *kingii*) since it was observed in non-alkali environment.

## ANGIOSPERMS (MONOCOTYLEDONS)

SCIENTIFIC NAME	COMMON NAME
<b>Cyperaceae</b>	<b>Heath Family</b>
<i>Carex heteroneura</i> var. <i>heteroneaua</i>	sedge
<i>Carex nervina</i>	sedge
<i>Carex subfusca</i>	sedge
<i>Carex vesicaria</i> var. <i>vesicaria</i>	sedge
<b>Equisetaceae</b>	
<i>Equisetum laevigatum</i>	smooth scouring rush
<b>Iridaceae</b>	<b>Iris Family</b>
<i>Iris missouriensis</i>	western blue flag
<b>Juncaceae</b>	<b>Rush Family</b>
<i>Juncus balticus</i>	rush
<i>Juncus drummondii</i>	rush
<i>Juncus saximontanus</i>	rush
<i>Luzula parviflora</i>	hairy wood rush
<b>Liliaceae</b>	<b>Lily Family</b>
<i>Allium campanulatum</i>	Sierra onion
<i>Allium validum</i>	swamp onion
<i>Calochortus leichtlinii</i>	Leichtlin's mariposa lily
<i>Lilium kelleyanum</i>	Kelly's tiger lily
<i>Lilium pardalinum</i>	leopard lily
<i>Maianthemum stellata</i>	false lily-of-the valley
<i>Sisyrinchium bellum</i>	blue-eyed grass
<i>Veratrum californicum</i> <sup>a</sup>	corn lily
<b>Orchidaceae</b>	<b>Orchid Family</b>
<i>Platanthera leucostachys</i>	Sierra rein orchid

\* = Non-native Species

<sup>a</sup> This plant could not be identified to species; however, it could be determined that it was not Kern River daisy (*Erigeron multiceps*) since the leaves were mostly cauline.

<sup>b</sup> This plant could not be identified to species; however it could be determined that it was not Hockett Meadows lupine (*Lupinus lepidus* var. *culbertsonii*) since it did not have a prostrate growth form and it was not Father Crowley's lupine (*Lupinus padre-crowleyi*) due to the small size of the leaflets.

<sup>c</sup> The USFS reported an occurrence of approximately 375 plants in the vicinity of the project site on July 21, 2009.

<sup>d</sup> This plant could not be identified to species; however, it could be determined that it was not alkali ivesia (*Ivesia kingii* var. *kingii*) since it was observed in non-alkali environment.

## ANGIOSPERMS (MONOCOTYLEDONS)

SCIENTIFIC NAME	COMMON NAME
<b>Poaceae</b>	<b>Grass Family</b>
<i>Achnatherum hymenoides</i>	Indian rice grass
<i>Achnatherum occidentale</i>	needlegrass
<i>Agropyron desertorum</i>	desert crested wheatgrass
<i>Agrostis</i> sp.	bent grass
* <i>Bromus inermis</i>	common brome
* <i>Dactylis glomerata</i>	orchard grass
<i>Elymus elymoides</i> ssp. <i>californicus</i>	bottlebrush squirreltail
<i>Elymus glaucus</i>	blue wildrye
<i>Elymus (Leymus) triticoides</i>	wheatgrass
<i>Lolium perenne</i>	English ryegrass
<i>Melica imperfecta</i>	California melic
<i>Phleum alpinum</i>	mountain timothy
* <i>Phleum pratense</i>	Timothy hay
<i>Poa</i> sp.	bluegrass

\* = Non-native Species

<sup>a</sup> This plant could not be identified to species; however, it could be determined that it was not Kern River daisy (*Erigeron multiceps*) since the leaves were mostly cauline.

<sup>b</sup> This plant could not be identified to species; however it could be determined that it was not Hockett Meadows lupine (*Lupinus lepidus* var. *culbertsonii*) since it did not have a prostrate growth form and it was not Father Crowley's lupine (*Lupinus padre-crowleyi*) due to the small size of the leaflets.

<sup>c</sup> The USFS reported an occurrence of approximately 375 plants in the vicinity of the project site on July 21, 2009.

<sup>d</sup> This plant could not be identified to species; however, it could be determined that it was not alkali ivesia (*Ivesia kingii* var. *kingii*) since it was observed in non-alkali environment.

# INVERTEBRATES

SCIENTIFIC NAME	COMMON NAME
<b>Insecta</b>	<b>Butterflies and Moths</b>
<i>Papilio rutulus</i>	western tiger swallowtail

\* = *Non-native Species*

? = *Potentially Present*

<sup>a</sup> *Observed in 1983 (and/or 1996, 1998, and 2004 USFS botanical surveys) and 2007*

<sup>b</sup> *Observed only in 2007*

# FISH

SCIENTIFIC NAME	COMMON NAME
<b>Salmonidae</b>	<b>Salmon</b>
<i>Oncorhynchus mykiss</i> <sup>a,b</sup>	rainbow trout
<i>Salmo trutta</i> <sup>a</sup>	brown trout
<i>Salvelinus fontinalis</i> <sup>a</sup>	brook trout
<b>Cyprinidae</b>	<b>Minnows and Carp</b>
<i>Gila bicolor</i> <sup>a</sup>	tui chub
<b>Catostomidae</b>	<b>Suckers</b>
<i>Catostomus fumeiventris</i> <sup>a</sup>	Owens sucker

\* = *Non-native Species*

? = *Potentially Present*

<sup>a</sup> *Observed during fish surveys conducted for the Mammoth Community Water District from 1992-1997 and 1999-2008.*

<sup>b</sup> *Rainbow trout includes both wild and hatchery fish.*

# AMPHIBIANS

SCIENTIFIC NAME	COMMON NAME
<b>Bufonidae</b>	<b>True Toads</b>
? <i>Bufo boreas</i>	western toad
<i>Bufo canorus</i>	Yosemite toad
<b>Hylidae</b>	<b>Treefrogs</b>
? <i>Hyla regilla</i>	Pacific tree frog

\* = *Non-native Species*

? = *Potentially Present*

<sup>a</sup> *Observed during fish surveys conducted for the Mammoth Community Water District from 1992-1997 and 1999-2008.*

<sup>b</sup> *Rainbow trout includes both wild and hatchery fish.*

# REPTILES

SCIENTIFIC NAME	COMMON NAME
<b>Anguidae</b>	<b>Alligator, Glass, and Lateral Fold Lizards</b>
? <i>Elgaria coerulea</i>	Sierra alligator lizard
<b>Boidae</b>	<b>Boas and Pythons</b>
? <i>Charina bottae</i>	rubber boa
<b>Colubridae</b>	<b>Colubrids</b>
<i>Thamnophis elegans</i>	mountain garter snake
<b>Phrynosomatidae</b>	<b>Zebra-tailed, Earless, Fringe-toed, Spiny, Tree, Side-blotched, and Horned Lizards</b>
? <i>Sceloperus graciosus</i>	sagebrush lizard
? <i>Sceloperus occidentalis</i>	Sierra fence lizard

\* = *Non-native Species*

? = *Potentially Present*

<sup>a</sup> *Observed during fish surveys conducted for the Mammoth Community Water District from 1992-1997 and 1999-2008.*

<sup>b</sup> *Rainbow trout includes both wild and hatchery fish.*

# BIRDS

SCIENTIFIC NAME	COMMON NAME
<b>Cathartidae</b>	<b>New World Vultures</b>
<i>Cathartes aura</i>	turkey vulture
<b>Accipitridae</b>	<b>Hawks</b>
? <i>Accipiter cooperii</i>	Cooper's hawk
? <i>Accipiter gentilis</i>	northern goshawk
<i>Buteo jamaicensis</i>	red-tailed hawk
<b>Falconidae</b>	<b>Falcons</b>
? <i>Falco sparverius</i>	American kestrel
<b>Phasianidae</b>	<b>Pheasants and Quails</b>
? <i>Dendragapus obscurus</i>	blue grouse
? <i>Oreortyx pictus</i>	mountain quail
<b>Columbidae</b>	<b>Pigeons and Doves</b>
<i>Zenaida macroura</i>	mourning dove
<b>Strigidae</b>	<b>True Owls</b>
? <i>Bubo virginianus</i>	great horned owl
<b>Trochilidae</b>	<b>Hummingbirds</b>
? <i>Selasphorus platycercus</i>	broad-tailed hummingbird
? <i>Selasphorus rufus</i>	rufous hummingbird
? <i>Selasphorus sasin</i>	Allen's hummingbird
? <i>Stellula calliope</i>	Calliope hummingbird
<b>Alcedinidae</b>	<b>Kingfishers</b>
? <i>Ceryle alcyon</i>	belted kingfisher
<b>Picidae</b>	<b>Woodpeckers</b>
<i>Colaptes auratus</i>	northern flicker
? <i>Picoides albolarvatus</i>	white-headed woodpecker
? <i>Picoides nuttallii</i>	Nuttall's woodpecker
? <i>Picoides pubescens</i>	downy woodpecker
<i>Picoides villosus</i>	hairy woodpecker
? <i>Sphyrapicus thyroideus</i>	Williamson's sapsucker
<b>Strigidae</b>	<b>Owls</b>
? <i>Strix nebulosa</i> <sup>d</sup>	great gray owl
<b>Tyrannidae</b>	<b>Tyrant Flycatchers</b>
<i>Contopus cooperi</i>	olive-sided flycatcher

\* = Non-native Species

? = Potentially Present

<sup>a</sup> Observed during fish surveys conducted for the Mammoth Community Water District from 1992-1997 and 1999-2008.

<sup>b</sup> Rainbow trout includes both wild and hatchery fish.

# BIRDS

SCIENTIFIC NAME	COMMON NAME
<i>Contopus sordidulus</i>	western wood-peewee
? <i>Empidonax difficilis</i>	Pacific slope flycatcher
<b>Hirundinidae</b>	<b>Swallows</b>
? <i>Hirundo rustica</i>	barn swallow
<i>Petrochelidon pyrrhonota</i>	cliff swallow
<i>Tachycineta thalassina</i>	violet-green swallow
<b>Corvidae</b>	<b>Jays and Crows</b>
<i>Corvus brachyrhynchos</i>	American crow
? <i>Corvus corax</i>	common raven
<i>Cyanocitta stelleri</i>	Steller's jay
<i>Nucifraga columbiana</i>	Clark's nutcracker
<i>Pica hudsonia</i>	black-billed magpie
<b>Paridae</b>	<b>Titmice</b>
<i>Poecile gambeli</i>	mountain chickadee
<b>Sittidae</b>	<b>Nuthatches</b>
? <i>Sitta canadensis</i>	red-breasted nuthatch
? <i>Sitta carolinensis</i>	white-breasted nuthatch
<b>Certhiidae</b>	<b>Creepers</b>
<i>Certhia americana</i>	brown creeper
<b>Cinclidae</b>	<b>Dippers</b>
? <i>Cinclus mexicanus</i>	American dipper
<b>Troglodytidae</b>	<b>Wrens</b>
? <i>Troglodytes aedon</i>	house wren
<b>Turdidae</b>	<b>Thrushes</b>
? <i>Catharus guttatus</i>	hermit thrush
? <i>Sialia currucoides</i>	mountain bluebird
<i>Turdus migratorius</i>	American robin
<b>Regulidae</b>	<b>Kinglets</b>
? <i>Regulus calendula</i>	ruby-crowned kinglet
<b>Vireonidae</b>	<b>Vireos</b>
? <i>Vireo gilvus</i>	warbling vireo
? <i>Vireo cassinii</i>	Cassin's vireo
<b>Mimidae</b>	<b>Thrashers</b>
? <i>Mimus polyglottos</i>	northern mockingbird

\* = Non-native Species

? = Potentially Present

<sup>a</sup> Observed during fish surveys conducted for the Mammoth Community Water District from 1992-1997 and 1999-2008.

<sup>b</sup> Rainbow trout includes both wild and hatchery fish.

# BIRDS

SCIENTIFIC NAME	COMMON NAME
<b>Parulidae</b>	<b>Wood Warblers</b>
? <i>Dendroica petechia</i>	yellow warbler
? <i>Dendroica townsendi</i>	Townsend's warbler
? <i>Oporornis tolmiei</i>	MacGillivray's warbler
? <i>Vermivora ruficapilla</i>	Nashville warbler
? <i>Wilsonia pusilla</i>	Wilson's warbler
<b>Cardinalidae</b>	<b>Cardinals</b>
? <i>Passerina amoena</i>	lazuli bunting
<i>Pheucticus melanocephalus</i>	black-headed grosbeak
<b>Thraupidae</b>	<b>Tanagers</b>
<i>Piranga ludoviciana</i>	western tanager
<b>Emberizidae</b>	<b>Emberizids</b>
<i>Junco hyemalis</i>	dark-eyed junco
? <i>Melospiza melodia</i>	song sparrow
<i>Passerella iliaca</i>	fox sparrow
<i>Pipilo chlorurus</i>	green-tailed towhee
<i>Spizella breweri</i>	Brewer's sparrow
<i>Spizella passerina</i>	chipping sparrow
? <i>Zonotrichia leucophrys</i>	white-crowned sparrow
<b>Icteridae</b>	<b>Blackbirds</b>
<i>Agelaius phoeniceus</i>	red-winged blackbird
<i>Euphagus cyanocephalus</i> <sup>a</sup>	Brewer's blackbird
<i>Molothrus ater</i>	brown-headed cowbird
<i>Quiscalus quiscula</i>	common grackle
<b>Fringillidae</b>	<b>Finches</b>
<i>Carduelis pinus</i>	pine siskin
? <i>Carduelis psaltria</i> <sup>b</sup>	lesser goldfinch
? <i>Carpodacus cassinii</i>	Cassin's finch
? <i>Carpodacus purpureus</i>	purple finch
? <i>Pinicola enucleator</i>	pine grosbeak

\* = Non-native Species

? = Potentially Present

<sup>a</sup> Observed during fish surveys conducted for the Mammoth Community Water District from 1992-1997 and 1999-2008.

<sup>b</sup> Rainbow trout includes both wild and hatchery fish.

# MAMMALS

SCIENTIFIC NAME	COMMON NAME
<b>Aplodontidae</b>	<b>Mountain Beaver</b>
? <i>Aplodontia rufa</i>	mountain beaver
<b>Arvicolidae</b>	<b>Voles and Allies</b>
? <i>Microtus longicaudus</i>	long-tailed meadow mouse
? <i>Microtus montanus</i>	mountain meadow mouse
<b>Canidae</b>	<b>Dogs, Foxes, and Allies</b>
? <i>Canis latrans</i> <sup>a</sup>	coyote
? <i>Urocyon cinereoargenteus</i>	gray fox
? <i>Vulpes vulpes necator</i>	Sierra Nevada red fox
<b>Cervidae</b>	<b>Deer</b>
<i>Odocoileus hemionus</i>	Mule deer
<b>Cricetidae</b>	<b>Deer Mice, Wood Rats, and Allies</b>
? <i>Neotoma cinerea</i>	bushy-tailed wood rat
? <i>Peromyscus maniculatus</i>	deer mouse
? <i>Reithrodontomys megalotis</i>	western harvest mouse
<b>Dipodidae</b>	<b>Jumping Mice</b>
? <i>Zapus princeps</i>	western jumping mouse
<b>Erethizontidae</b>	<b>Porcupine</b>
? <i>Erethizon dorsatum</i>	porcupine
<b>Leporidae</b>	<b>Hares and Rabbits</b>
<i>Lepus americanus</i>	snowshoe hare
<b>Felidae</b>	<b>Cats</b>
? <i>Felis concolor</i>	mountain lion
? <i>Lynx rufus</i>	bobcat
<b>Geomyidae</b>	<b>Pocket Gophers</b>
<i>Thomomys bottae</i>	Botta's pocket gopher
? <i>Thomomys monticola</i>	mountain pocket gopher
<b>Mephitidae</b>	<b>Skunks and Stink Badgers</b>
? <i>Mephitis mephitis</i>	striped skunk
<b>Mustelidae</b>	<b>Weasels, Marten, and Allies</b>
? <i>Martes americana</i>	American marten
? <i>Martes pennanti pacifica</i>	Pacific fisher

\* = Non-native Species

? = Potentially Present

<sup>a</sup> Observed during fish surveys conducted for the Mammoth Community Water District from 1992-1997 and 1999-2008.

<sup>b</sup> Rainbow trout includes both wild and hatchery fish.

# MAMMALS

SCIENTIFIC NAME	COMMON NAME
<b>Procyonidae</b>	<b>Racoons and Ringtails</b>
? <i>Procyon lotor</i>	racoon
<b>Sciuridae</b>	<b>Squirrels</b>
? <i>Marmota flaviventris</i>	yellow-bellied marmot
<i>Sciurus griseus</i>	western gray squirrel
<i>Spermophilus beecheyi</i>	California ground squirrel
<i>Spermophilus lateralis</i> <sup>a</sup>	golden-mantled ground squirrel
<i>Tamias</i> sp.	chipmunk
<i>Tamias speciosus</i>	lodgepole chipmunk
<b>Soricidae</b>	<b>Shrews</b>
? <i>Sorex lyelli</i>	Mount Lyell shrew
? <i>Sorex palustris</i>	water shrew
? <i>Sorex vagrans</i>	vagrant shrew
<b>Talpidae</b>	<b>Moles</b>
? <i>Scapanus latimanus</i>	broad-footed mole
<b>Ursidae</b>	<b>Bears</b>
<i>Ursus americanus</i> <sup>a</sup>	black bear
<b>Vespertilionidae</b>	<b>Vesper Bats</b>
? <i>Myotis californicus</i>	California myotis
? <i>Myotis evotis</i>	long-eared myotis

\* = Non-native Species

? = Potentially Present

<sup>a</sup> Observed during fish surveys conducted for the Mammoth Community Water District from 1992-1997 and 1999-2008.

<sup>b</sup> Rainbow trout includes both wild and hatchery fish.